

RATCHETS AND SOCKETS

MULTIPLE BIT SET.....58



1/4" SOCKET SETS.....61



3/8" SOCKET SETS.....72



1/2" SOCKET SETS.....83



3/4" SOCKET SETS.....99



1" SOCKET SET.....104



RATCHETS AND SOCKETS

→ STRONG, COMPACT AND OPTIMIZED STORAGE

→ COMPACT

6 sizes of cases to meet all needs with maximum compactness.

→ LINING

The inner lining of the cases is made of modules in plastic or foam according to requirements.

→ BUILT-IN HANDLE

The largest dimensions have **a built in handle** for easy carrying without altering the compactness or modularity.

→ LATCHES

Built in double latches on the 4 largest models, ensuring strong and effective locking.



L. 565 x P. 415 x H. 92 mm



L. 415 x P. 283 x H. 92 mm

→ OPTIMUM STORAGE IN ROLLING CABINETS

→ ORGANISATION

Each case is **half the size** of the larger sized case. The largest case is sized based on the dimensions of the EXPERT roller cabinets. Ideal for organised storage.

STORAGE

- Set cases can be stored in the drawers **easily**, open or closed. When open the set cases form ideal drawer modules.

OPENING

- The cases can be **opened** completely flat. Roller Cabinet drawers can be organised with modules and/or set cases open or closed.



HANDY TIP

4 largest cases come with sliding hinge pins which allow the lid and base to be split into 2 parts and used independently.



L. 275 x P. 186 x H. 80 mm



L. 186 x P. 138 x H. 54 mm



L. 137 x P. 94 x H. 31 mm



L. 92 x P. 64 x H. 31 mm

RATCHETS AND SOCKETS

MULTIPLE BIT SET

1/4" & 1/2" SOCKET, WRENCH AND ACCESSORY SET - 101 PIECES

- 1/4" hex sockets: 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 mm.
- 1/4" hex screwdriver bit sockets: 3-4-5-6 mm.
- 1/4" screwdriver bit sockets: Pozidriv® PZ1-PZ2 - Phillips® PH1-PH2.
- 1/4" Torx® screwdriver bit sockets: T8-T10-T15-T20-T25-T27-T30.
- 1/2" hex sockets: 10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm.
- 1/2" deep hex sockets: 13-17-19 mm.
- 1/4" slotted head screwdriver bit sockets: 4-5.5-7 mm.
- 5/16" slotted head bits: 8-12 mm.
- 5/16" Phillips® bits: PH3-PH4.
- 5/16" Pozidriv® bits: PZ3-PZ4.
- 5/16" hex bits: 12-14 mm.
- 5/16" Torx® bits: T40-T45-T50-T55.
- Hex key set in sleeve: 1.5-2-2.5-3-4-5-6-7-8-9-10 mm.
- Combination wrenches: 7-8-10-11-12-13-14-15-16-17-18-19 mm.
- 1 1/4" locking meter ratchet.
- 1 1/4" bit adaptor.
- 2 1/4" extensions 55-100 mm.
- 1 1/4" universal joint.
- 1 1/4" sliding T-handle.
- 1 1/4" bimaterial screwdriver handle.
- 1 1/2" locking meter ratchet.
- 1 1/2" universal joint.
- 2 1/2" extensions 130-250 mm.
- 1 1/2" sliding T-handle.
- 2 1/2" spark plug sockets: 16-21 mm.
- 1 1/2" to 5/16" bit adaptor.
- Supplied in socket set case - also converts into a modular storage system for use in roller cabinets.



	☑	Qty	Dimensions mm	Weight kg	📦	EAN
E032911	1/4" - 1/2"	101	L.565xP.415xH.92 mm	8	5	3258950315256



1/4"-3/8" METRIC SOCKET AND ACCESSORY MODULE - 62 PIECES

- 1 1/4" meter locking ratchet.
- 1 1/4" bit holder socket.
- 2 1/4" extension - 55-100 mm.
- 13 1/4" 6-sided sockets: 4-14 mm.
- 11 1/4" Torx® sockets: T6 - T40.
- 1 3/8" meter locking ratchet.
- 1 3/8" bit holder socket.
- 1 3/8" extension 125 mm.
- 14 3/8" 12-sided sockets: 8-22 mm.
- 14 3/8" drive long hex sockets: 8-22 mm.
- 3 3/8" Torx® sockets: T45-T50-T55.
- Empty module: E034854.



	☑	Qty	Weight kg	📦	EAN
E034853	1/4" - 1/2"	62	3,1	1	3258950348537



1/4" & 1/2" SOCKET AND ACCESSORY SET - 98 PIECES

- 1/4" sockets hex: 4-5-5.5-6-7-8-9-10-11-12-13 mm.
- 1/4" deep hex sockets: 6-8-10-11-12-13-14 mm.
- 1/4" Torx® bits: T6-T8-T10.
- 1/4" slotted head screwdriver sockets: 4-7 mm.
- 1/4" Torx® screwdriver sockets: T8-T10-T15-T20-T25-T27-T30.
- 1/4" Pozidriv® screwdriver sockets: PZ1-PZ2.
- 1/4" Phillips® screwdriver sockets: PH1-PH2.
- 1 1/4" locking meter ratchet.
- 2 1/4" extensions 55-100 mm.
- 1 1/4" universal joint.
- 1 1/4" sliding T-handle.
- 1 1/4" bi-material screwdriver handle.
- 1/2" hex sockets: 10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm.
- 1/2" hex deep sockets: 14-15-17-19-22 mm.
- 2 1/2" spark plug sockets: 16 mm & 21 mm.
- 1/2" Torx® sockets: E12-E14-E16-E18-E20-E24.
- 1 1/2" locking meter ratchet.
- 1 1/2" - 3/8" adaptor.
- 1 1/2" to 5/16" bit adaptor.
- 1 1/2" universal joint.
- 2 1/2" extensions 130-250 mm.
- 1 1/2" extension 250 mm.
- 5/16" XZN bits: 6-8-10-12.
- 5/16" slotted head bits: 8-12 mm.
- 5/16" Torx® bits: T40-T45-T50-T55.
- 5/16" hex bits: 8-10-12-14 mm.
- Supplied in socket set case - also converts into a modular storage system for use in roller cabinets.



	☑	Qty	Dimensions mm	Weight kg	☒	EAN
E034805	1/4" - 1/2"	98	L.415xP.283xH.92	6,5	1	3258950348056

1/4" - 3/8" - 1/2" TORX® SOCKET SET - 13 PIECES

- 1/4" Torx® sockets: E4-E5-E6-E7-E8.
- 3/8" Torx® sockets: E10-E12-E14-E16.
- 1/2" Torx® sockets: E18-E20-E22-E24.
- Supplied on metallic rack.

	☑	Qty	Weight g	☒	EAN
E034801	1/4" - 3/8" - 1/2"	13	500	10	3258950348018



RATCHETS AND SOCKETS

MULTIPLE BIT SET

HEX, TORX®, XZN® SCREWDRIVER SOCKET SET - 38 PIECES

- 1/2" TORX® sockets: T40, T45, T50, T55, T60, T70, L140 mm
- 1/2" Tamper TORX® socket: TT30, L300 mm
- 1/2" Tamper TORX® socket: TT80, L100 mm
- 1/2" HEX socket: 7, L230 mm
- 1/2" HEX sockets: 10, 11, 13, L140 mm
- 1/2" HEX sockets: 14, 17, 19, 22, 24, L50 mm
- 1/2" HEX ball socket: 5, L160 mm
- 1/2" XZN socket: M9, L100 mm
- 1/2" XZN sockets: M10, M12, M14, L140 mm
- 1/2" XZN spline bit socket: M16, L55 mm
- 1/2" XZN spline bit socket: M16, L100 mm
- 1/2" XZN impact socket: M18, L75 mm
- 1/4" TS sockets: 10, 15, 20, 25, 27, 30, 40, 45, 50, L37mm
- 1/2" slotted sockets: 7, 8, L240 mm
- 1/2" slotted sockets: 9, L100 mm
- 1/2" slotted sockets: 10, L140 mm



	☑	Qty	Dimensions mm	Weight kg	📦	EAN
E200513	1/4" - 1/2"	38	L 420xP.355xH.92mm	6,07	5	3258952005131

1/4" - 3/8" SOCKET SET - 9 PIECES

- 1/4" Hex driver sockets: 3-4-5-6 mm.
- 3/8" Hex screwdriver sockets: 7-8-9-10-12 mm.
- Supplied on metallic rack.

	☑	Qty	Weight g	📦	EAN
E034802	1/4" - 3/8"	9	300	10	3258950348025



3-PIECE SET OF MAGNETIC COUPLERS

- Use only with hand tools.
 - Magnetized.
 - Supplied on metallic rack.
 - 3 couplers.
- E041505: 1/4" to 3/8".
 E041506: 3/8" to 1/2".
 E041507: 1/2" to 3/4".

NEW



	Qty	Weight g	📦	EAN
E041649	3	183	1	3258950416496

1/4" SOCKET SETS

1/4" SOCKET AND ACCESSORY SET - METRIC AND INCH - 73 PIECES

- 1/4" hex sockets: 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 mm.
- 1/4" deep hex sockets: 5-5.5-6-7-8-10-11-12-13 mm.
- 1/4" 12-point sockets: 1/2"-1/4"-11/32"-3/16"-3/8"-5/16"-7/16"-7/32"-9/16"-9/32".
- 1/4" slotted head screwdriver bit sockets: 4-5.5-7 mm.
- 1/4" Pozidriv® screwdriver bit sockets: PZ1-PZ2-PZ3.
- 1/4" Phillips® screwdriver bit sockets: PH1-PH2-PH3.
- 1/4" Torx® screwdriver bit sockets: T6-T7-T8-T9-T10-T15-T20-T25-T30-T40.
- 1/4" Torx® sockets: E4-E5-E6-E7-E8-E10.
- 1/4" hex screwdriver bit sockets: 2-2.5-3-4-5-6-7-8 mm.
- 1 1/4" locking meter ratchet.
- 3 1/4" extensions 55-100-150 mm.
- 1 bimaterial screwdriver handle.
- 1 1/4" universal joint.
- 1 1/4" sliding T-handle.
- 1 1/4" bit adaptor.
- Supplied in socket set case - also converts into a modular storage system for use in roller cabinets.



	☑	Qty		Weight kg	☐	EAN
E030707	1/4"	73	L.275xP.186xH.80 mm	2	5	3258950307077



1/4" SOCKET AND ACCESSORY SET - METRIC - 42 PIECES

- 1/4" hex sockets: 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 mm.
- 1/4" Pozidriv® screwdriver bit sockets: PZ1-PZ2-PZ3.
- 1/4" Phillips® screwdriver bit sockets: PH1-PH2-PH3.
- 1/4" hexagonal screwdriver bit sockets: 3-4-5-6-7-8 mm.
- 1/4" Torx® screwdriver bit sockets: T10-T15-T20-T25-T30-T40.
- 1/4" slotted head screwdriver sockets: 4-5.5-7 mm.
- 3 1/4" extensions 55-100-150 mm.
- 1 1/4" sliding T-handle.
- 1 bimaterial screwdriver handle.
- 1 1/4" universal joint.
- 1 1/4" locking meter ratchet.
- 1 1/4" bit holder.
- Supplied in socket set case - also converts into a modular storage system for use in roller cabinets.



	☑	Qty	Dimensions mm	Weight kg	☐	EAN
E030702	1/4"	42	L.275xP.186xH.80 mm	1,5	10	3258950307022



RATCHETS AND SOCKETS

1/4" SOCKET SETS

1/4" SOCKET AND ACCESSORY SET - 34 PIECES

- 1/4" hex sockets: 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 mm.
- Slotted head bits: 4-5.5-6.5 mm.
- Pozidriv® bits: PZ1-PZ2-PZ3.
- Resistorx® bits: TT10-TT15-TT20-TT25-TT30-TT40.
- Hex bits: 4-5-6 mm.
- 1 1/4" bit adaptor.
- 2 1/4" extensions 55-100 mm.
- 1 1/4" universal joint.
- 1 bimaterial screwdriver handle.
- 1 1/4" locking meter ratchet.
- Supplied in socket set case - also converts into a modular storage system for use in roller cabinets.



	☑	Qty	Dimensions mm	Weight kg	📦	EAN
E194672	1/4"	34	L.186xP.138xH.54 mm	1	4	3258951946725



1/4" SOCKET AND ACCESSORY SET - METRIC - 19 PIECES

- 1/4" hex sockets: 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 mm.
- 1 1/4" locking meter ratchet.
- 2 1/4" extensions 55-100 mm.
- 1 1/4" universal joint.
- 1 1/4" bit adaptor.
- 1 1/4" sliding T-handle.
- Supplied in socket set case also converts into a modular storage system for use in roller cabinets.




	☑	Qty	Dimensions mm	Weight kg	📦	EAN
E030700	1/4"	19	L.186xP.138xH.54 mm	0,75	10	3258950307008



1/4" SOCKET SET - 13 PIECES

- 1/4" hex sockets: 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 mm.
- Supplied on metallic rack.

	1/4"	Qty	Weight g		EAN
E194675	1/4"	13	370	10	3258951946756



1/4" SOCKET AND ACCESSORY MODULE - 67 PIECES

- 1/4" hex sockets: 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 mm.
- 1/4" deep hex sockets: 4-5-5.5-6-7-8-9-10-11-12-13-14 mm.
- 1/4" hex screwdriver bit sockets: 2-2.5-3-4-5-6-7-8 mm.
- 1/4" Torx® screwdriver bit sockets: T6-T7-T8-T9-T10-T15-T20-T25-T27-T30.
- 1 1/4" hinged head ratchet.
- 1 1/4" locking meter ratchet.
- 1 bimaterial screwdriver handle.
- 2 1/4" extensions 55-100 mm.
- 1 universal joint 1/4".
- 1 1/4" sliding T-handle.
- 1 1/4" bit adaptor.
- slotted head bits: 4-5.5-6.5 mm.
- Pozidriv® bits: PZ1-PZ2-PZ3.
- Hexagonal bits: 3-4-5-6 mm.
- Resistorx® bits: TT10-TT15-TT20-TT25-TT30-TT40.
- Empty modul®: E030716.

	1/4"	Qty	Weight kg		EAN
E030715	1/4"	67	1,7	1	3258950307152



1/4" SOCKET AND ACCESSORY MODULE - 45 PIECES

- 1/4" hex sockets: 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 mm.
- 1/4" slotted head bits: 4-5.5-6.5 mm.
- 1/4" Pozidriv® bits: PZ1-PZ2-PZ3.
- 1/4" hex bits: 3-4-5-6 mm.
- 1/4" Torx® bits: T10-T15-T20-T25-T30-T40.
- 1 1/4" meter locking ratchet.
- 2 1/4" extensions 55-100 mm.
- 1 bimaterial screwdriver handle.
- 1 1/4" bit adaptor.
- 1 universal joint 1/4".
- 9 piece hex key set in sleeve: 1.5-2-2.5-3-4-5-6-7-8-10 mm.
- Empty module: E030701.

	1/4"	Qty	Weight kg		EAN
E194680	1/4"	45	1,3	1	3258950306018




RATCHETS AND SOCKETS

1/4" RATCHETS

1/4" ROUND HEAD RATCHET

- ISO 3315 - DIN 3122 - ISO 1174-1
- 72 tooth mechanism.
- 5° increment.
- Compact head.
- High Chrome finish.
- Ergonomic bimaterial handle.


	d1 mm	d2 mm	L mm	Weight g		EAN
E030601	24.8	23.5	140	98	10	3258950306018



1/4" PEAR HEAD RATCHET

- ISO 3315 - DIN 3122 - ISO 1174-1
- 72 tooth mechanism.
- 5° increment.
- Socket safety lock.
- Lever reverse: rotation direction displayed.
- High Chrome finish.
- Ergonomic bimaterial handle.


	d1 mm	d2 mm	L mm	Weight g		EAN
E113770	24	22	140	110	10	3258951137703



1/4" METAL HANDLE PEAR HEAD RATCHET

- ISO 3315 - DIN 3122 - ISO 1174-1
- 72-tooth mechanism.
- 5° increment.
- Socket safety lock.
- Lever reversing: rotation direction displayed.
- High Chrome finish.


	d1 mm	d2 mm	L mm	Weight g		EAN
E030508	24	22	140	136	10	3258950305080



1/4" HINGED HEAD RATCHET

- ISO 3315 - DIN 3122 - ISO 1174-1
- 72 tooth mechanism.
- 5° increment.
- Compact and angled head for easier access.
- High Chrome finish.
- Ergonomic bimaterial handle.

	d1 mm	d2 mm	L mm	Weight g		EAN
E030602	31.6	23.5	150,5	130	1	3258950306025



1/4" ACCESSORIES

1/4" SOCKET NUT HANDLE

- ISO 3315 - DIN 3122
- Ergonomic bimaterial handle.
- Chrome vanadium steel.
- High Chrome finish.
- For manual use.


	L mm	Weight g		EAN
E113910	158	70	5	3258951139103



1/4" SLIDING T HANDLE

- ISO 3315 - DIN 3122 - ISO 1174-1
- Chrome vanadium steel.
- High Chrome finish.
- For manual use.


	L mm	Weight g		EAN
E117355	105	45	10	3258951173558



1/4" EXTENSIONS

- ISO 3315 - DIN 3122 - ISO 1174-1
- Chrome vanadium steel.
- Finish: polished chromed.


	d1 mm	d2 mm	L mm	Weight g		EAN
E113771	12.5	8.51	55	25	10	3258951137710
E117356	12.5	8.51	100	45	10	3258951173565
E113772	12.5	8.51	150	65	10	3258951137727



1/4" WOBBLE EXTENSION

- Ideal for tightening and loosening in cluttered spaces.
- Flexible body.
- Manual use (no power tools).

		EAN
E030509	1	3258950305097




RATCHETS AND SOCKETS

1/4" ACCESSORIES

1/4" TO 3/8" COUPLER

- ISO 3315 - DIN 3122 - ISO 1174-1
- Chrome vanadium steel.
- High Chrome finish.
- For manual use.


	d1 mm	d2 mm	L mm	Weight g		EAN
E117358	12.4	8.51	25	16	10	3258951173589



1/4" - 3/8" MAGNETIC COUPLER.

- Use only with hand tools.
- Magnetized.
- Supplied on metallic rack.


		d1 mm	L mm	Weight g		EAN
E041505	1/4" - 3/8"	19	14,5	18	1	3258950415055



1/4" COUPLER TO 1/4" BIT

- ISO 1173 - DIN 3126 - ISO 1174-1
- Chrome vanadium steel.
- High Chrome finish.
- For manual use.


	d1 mm	d2 mm	L mm	Weight g		EAN
E117359	14	8.51	25	25	10	3258951173596



1/4" UNIVERSAL JOINT

- ISO 3316 - DIN 3123 - ISO 1174-1
- Chrome vanadium steel.
- High Chrome finish.
- For manual use.

	d1 mm	d2 mm	L mm	Weight g		EAN
E117360	14	8.51	25,20	22	10	3258951173602




1/4" SOCKETS

1/4" HEX SOCKETS - METRIC

- ISO 2725-1 - DIN 3124 - ISO 1174-1 - ISO 1711-1 - ISO 691
- Chrome vanadium steel.
- OGV Profile: tightening torque applied to the sides rather than to the angles of the nut.
- High Chrome finish.
- For manual use.


	A mm	d1 mm	d2 mm	L mm	L1 mm	Weight g		EAN
E117293	4	12	6.9	25	3.6	10	10	3258951172933
E117688	4,5	12	7.5	25	3.6	10	10	3258951176887
E117294	5	12	8.1	25	4.2	10	10	3258951172940
E117295	5,5	12	8,8	25	4.2	10	10	3258951172957
E117296	6	12	9.4	25	4.8	10	10	3258951172964
E117297	7	12	10.9	25	5.4	12	10	3258951172971
E117298	8	12	12	25	5.4	12	10	3258951172988
E117299	9	13.2	13.2	25	6	14	10	3258951172995
E117350	10	14.7	14.7	25	7	18	10	3258951173503
E117351	11	16	16	25	8	24	10	3258951173510
E117352	12	16.9	16.9	25	8	24	10	3258951173527
E117353	13	17.7	17.7	25	8	26	10	3258951173534
E117354	14	19.7	19.7	25	10	34	10	3258951173541



1/4" 12-POINT SOCKETS - METRIC

- ISO 2725-1 - DIN 3124 - ISO 1174-1 - ISO 1711-1 - ISO 691
- Chrome vanadium steel.
- OGV Profile: tightening torque applied to the sides rather than to the angles of the nut.
- High Chrome finish.
- For manual use.

	A mm	d1 mm	d2 mm	L mm	L1 mm	Weight g		EAN
E030210	6	12	9.4	25	4.8	10	10	3258950302102
E030201	7	12	10.9	25	5.4	12	10	3258950302010
E030202	8	12	12	25	5.4	12	10	3258950302027
E030203	9	13.2	13.2	25	6	14	10	3258950302034
E030204	10	14.7	14.7	25	7	18	10	3258950302041
E030205	11	16	16	25	8	24	10	3258950302058
E030206	12	16.9	16.9	25	8	24	10	3258950302065
E030207	13	17.7	17.7	25	8	26	10	3258950302072
E030211	14	19.7	19.7	25	10	34	10	3258950302119



RATCHETS AND SOCKETS


1/4" SOCKETS

1/4" 12-POINT SOCKETS - INCH

- ASME B 107-1 - ISO 1174-1

- Chrome vanadium steel.
- OGV Profile: tightening torque applied to the sides rather than to the angles of the nut.
- High Chrome finish.
- For manual use.

	A "	d1 mm	d2 mm	L mm	L1 mm	Weight g	☒	EAN
E113740	3/16"	12	8	25	3.6	7	10	3258951137406
E113741	7/32"	12	9	25	4.2	8	10	3258951137413
E113742	1/4"	12	10	25	4.8	8	10	3258951137420
E113743	9/32"	12	11	25	4	10	10	3258951137437
E113744	5/16"	12	12	25	4	10	10	3258951137444
E113745	11/32"	13.2	13.2	25	4.5	10	10	3258951137451
E113746	3/8"	14.7	14.7	25	4.5	14	10	3258951137468
E113748	7/16"	16	16	25	6	17	10	3258951137482
E113749	1/2"	17.7	17.7	25	7.2	19	10	3258951137499
E113750	9/16"	18.7	18.7	25	10	25	10	3258951137505




1/4" LONG 6-POINT SOCKETS - METRIC

- ISO 2725-1 - DIN 3124 - ISO 1174-1 - ISO 1711-1 - ISO 691

- Chrome vanadium steel.
- OGV Profile: tightening torque applied to the sides rather than to the angles of the nut.
- High Chrome finish.
- For manual use.

	A mm	d1 mm	d2 mm	L mm	L1 mm	Weight g	☒	EAN
E113751	4	11.8	6.9	49,5	5	18	10	3258951137512
E113752	5	11.8	8	49,5	5.5	18	10	3258951137529
E113753	5,5	11.8	8	49,5	5.5	18	10	3258951137536
E113754	6	11.8	9.4	49,5	6.5	18	10	3258951137543
E113755	7	11.8	10.9	49,5	10.5	27	10	3258951137550
E113756	8	11.8	11.8	49,5	10.5	27	10	3258951137567
E113757	9	12.8	12.8	49,5	11.5	32	10	3258951137574
E113758	10	14.5	14.5	49,5	13	41	10	3258951137581
E113759	11	15.6	15.6	49,5	14	15	10	3258951137598
E113760	12	16	16	49,5	15	50	10	3258951137604
E113761	13	17	17	49,5	17	59	10	3258951137611
E113762	14	19	19	49,5	19	68	10	3258951137628




1/4" LONG-REACH HEX SOCKETS - INCHES

- ISO 2725-1 - DIN 3124 - ISO 1174-1 - ISO 1711-1 - ISO 691

- Chrome vanadium steel.
- Maxi Drive Profile: tightening torque applied to the sides rather than to the angles of the nut.
- Finish: polished chromed.
- For manual use.

	A "	d1 mm	d2 mm	L mm	L1 mm	Weight g		EAN
E030310	3/16"	11.8	8	49.5	5	18	10	3258950303109
E030311	7/32"	11.8	9	49.5	5.5	18	10	3258950303116
E030312	1/4"	11.8	10	49.5	6.5	23	10	3258950303123
E030313	9/32"	11.8	11	49.5	6.5	26	10	3258950303130
E030314	5/16"	11.8	11.8	49.5	10.5	27	10	3258950303147
E030315	11/32"	12.8	12.8	49.5	11.5	32	10	3258950303154
E030316	3/8"	14.5	14.5	49.5	12.5	41	10	3258950303161
E030317	7/16"	15.6	15.6	49.5	14.5	45	10	3258950303178
E030318	1/2"	17.6	17.6	49.5	16.5	59	10	3258950303185
E030322	9/16"	19.6	19.6	49.5	19	68	10	3258950303222




1/4" LONG 12-POINT SOCKETS - METRIC

- ISO 2725-1 - DIN 3124 - ISO 1174-1 - ISO 1711-1 - ISO 691

- Chrome vanadium steel.
- OGV Profile: tightening torque applied to the sides rather than to the angles of the nut.
- High Chrome finish.
- For manual use.

	A mm	d1 mm	d2 mm	L mm	L1 mm	Weight g		EAN
E030216	6	11.8	9.4	49,50	6.5	18	10	3258950302164
E030217	7	11.8	10.9	49,50	10.5	27	10	3258950302171
E030218	8	11.8	11.8	49,50	10.5	27	10	3258950302188
E030219	9	12.8	12.8	49,50	11.5	32	10	3258950302195
E030220	10	14.5	14.5	49,50	13	41	10	3258950302201
E030221	11	15.6	15.6	49,50	14	15	10	3258950302218
E030222	12	16.6	16.6	49,50	15	50	10	3258950302225
E030223	13	17.6	17.6	49,50	17	59	10	3258950302232
E030224	14	19.6	19.6	49,50	19	68	10	3258950302249




1/4" LONG 12-POINT SOCKETS - INCH

- ASME B 107-1 - ISO 1174-1

- Chrome vanadium steel.
- OGV Profile: tightening torque applied to the sides rather than to the angles of the nut.
- High Chrome finish.
- For manual use.

	A "	d1 mm	d2 mm	L mm	L1 mm	Weight g		EAN
E113763	1/4"	11.8	10	49,5	6.5	17	10	3258951137635
E113764	3/8"	14.5	14.5	49.5	12.5	32	10	3258951137642
E113765	5/16"	11.8	11.8	49,5	10.5	23	10	3258951137659
E113766	7/16"	15.6	15.6	49,5	14.5	40	10	3258951137666
E113767	9/16"	19.6	19.6	49,5	19	49	10	3258951137673
E113768	1/2"	11.8	11.8	49,5	6.5	17	10	3258951137680



RATCHETS AND SOCKETS


1/4" TORX® BIT SOCKETS

TORX® SOCKETS 1/4"

- ISO 1174-1
- For male Torx® screws.
- Chrome vanadium steel.
- Smooth chrome finish.

	No.	d1 mm	d2 mm	L mm	L1 mm	Weight g	☒	EAN
E030129	E4	12	6.1	25	3.6	8	10	3258950301297
E030130	E5	12	6.9	25	4.2	8	10	3258950301303
E030131	E6	12	8	25	4.8	8	10	3258950301310
E030132	E7	12	8.8	25	5.4	8	10	3258950301327
E030133	E8	12	10.2	25	5.4	9	10	3258950301334
E030134	E10	12	12	25	7	11	10	3258950301341
*E030150	E11	12	12.8	25	6	14	1	3258950301501
*E030151	E12	12	15.7	25	9	22	1	3258950301518

NEW*




1/4" SCREWDRIVER BIT SOCKETS

SET OF SCREWDRIVER BIT SOCKETS

- E030704: hex 2-2.5-3-4-5-6-7-8 mm.
- E030703: Torx® T6-T7-T8-T9-T10-T15-T20-T25-T27-T30.
- Supplied on metallic rack.


	☒	Qty	Weight g	☒	EAN
E030704	1/4"	8	150	1	3258950307046
E030703	1/4"	10	190	1	3258950307039



1/4" HEX SCREWDRIVER BIT SOCKETS

- Chrome vanadium steel.
- High Chrome finish.


	A mm	d1 mm	L mm	Weight g	☒	EAN
E030101	2	12	33	18	10	3258950301013
E030102	2.5	12	33	18	10	3258950301020
E030103	3	12	33	18	10	3258950301037
E030104	4	12	33	18	10	3258950301044
E030105	5	12	33	19	10	3258950301051
E030106	6	12	33	20	10	3258950301068
E030107	7	12	33	21	10	3258950301075
E030108	8	12	33	22	10	3258950301082



1/4" SLOTTED-HEAD SCREWDRIVER BIT SOCKETS

- ISO 2725-1 - DIN3124 - ISO 1174-1
- Chrome vanadium steel.
- High Chrome finish.

	A mm	d1 mm	L mm	Weight g	☒	EAN
E030109	4	12	33	12	10	3258950301099
E030110	5.5	12	33	12	10	3258950301105
E030111	7	12	33	12	10	3258950301112




1/4" PHILLIPS® SCREWDRIVER BIT SOCKETS

- ISO 2725-1 - DIN3124 - ISO 1174-1

- Chrome vanadium steel.

- High Chrome finish.

	No.	d1 mm	L mm	Weight g	☒	EAN
E030115	PH1	12	33	12	10	3258950301150
E030116	PH2	12	33	12	10	3258950301167
E030117	PH3	12	33	12	10	3258950301174




1/4" POZIDRIV® SCREWDRIVER BIT SOCKETS

- ISO 2725-1 - DIN3124 - ISO 1174-1

- Chrome vanadium steel.

- High Chrome finish.

	No.	d1 mm	L mm	Weight g	☒	EAN
E030112	PZ1	12	33	12	10	3258950301129
E030113	PZ2	12	33	12	10	3258950301136
E030114	PZ3	12	33	12	10	3258950301143




1/4" TORX® SCREWDRIVER BIT SOCKETS

- ISO 1174-1

- Chrome vanadium steel.

- High Chrome finish.

	No.	d1 mm	L mm	Weight g	☒	EAN
E030118	T6	12	33	17	10	3258950301181
E030119	T7	12	33	17	10	3258950301198
E030120	T8	12	33	17	10	3258950301204
E030121	T9	12	33	17	10	3258950301211
E030122	T10	12	33	17	10	3258950301228
E030123	T15	12	33	17	10	3258950301235
E030124	T20	12	33	18	10	3258950301242
E030125	T25	12	33	18	10	3258950301259
E030126	T27	12	33	18	10	3258950301266
E030127	T30	12	33	18	10	3258950301273
E030128	T40	12	33	18	10	3258950301280




1/4" RESISTORX® SCREWDRIVER BIT SOCKETS

- ISO 1174-1

- Chrome vanadium steel.

- High Chrome finish.

	No.	d1 mm	L mm	Weight g	☒	EAN
E030142	TT8	12	33	17	10	3258950301426
E030143	TT10	12	33	17	10	3258950301433
E030144	TT15	12	33	17	10	3258950301440
E030145	TT20	12	33	18	10	3258950301457
E030146	TT25	12	33	18	10	3258950301464
E030147	TT27	12	33	18	10	3258950301471
E030148	TT30	12	33	18	10	3258950301488
E030149	TT40	12	33	18	10	3258950301495



RATCHETS AND SOCKETS

3/8" SOCKET SETS

3/8" SOCKET AND ACCESSORY SET - METRIC - 61 PIECES

- 3/8" 12-point sockets: 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24 mm.
- 3/8" deep hex sockets: 8-9-10-11-12-13-14-15-17-19 mm.
- 3/8" hex screwdriver bit sockets: 3-4-5-6-7-8-10 mm.
- 3/8" Torx® screwdriver bit sockets: T8-T10-T15-T20-T25-T27-T30-T40-T45-T50.
- 3/8" Pozidriv® screwdriver bit sockets: PZ1-PZ2-PZ3.
- 3/8" Phillips® screwdriver bit sockets: PH1-PH2-PH3.
- 3/8" sockets for 16 and 21 mm spark plugs.
- 1 3/8" locking meter ratchet.
- 2 3/8" extensions 75-250 mm.
- 1 3/8" sliding T-handle.
- 1 1/2" - 3/8" drive adapter.
- 1 3/8" universal joint.
- Supplied in socket set case - also converts into a modular storage system for use in roller cabinets.

	☑	Qty	Dimensions mm	Weight kg	📦	EAN
E031806	3/8"	61	L.415xP.283xH.92 mm	5	1	3258950318066



3/8" 12-POINT SOCKET AND ACCESSORY SET - 22 PIECES

- 3/8" 12-point sockets: 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22-24 mm.
- 1 3/8" locking meter ratchet.
- 2 3/8" extensions 75-125 mm.
- 1 3/8" to 1/4" bit adaptor.
- 1 3/8" universal joint.
- Supplied in socket set case - also converts into a modular storage system for use in roller cabinets.

	☑	Qty	Dimensions mm	Weight kg	📦	EAN
E031805	3/8"	22	L.275xP.186xH.80 mm	1,5	1	3258950318059



3/8" DEEP HEX SOCKET SET - 15 PIECES

- 3/8" deep hex sockets: 7-8-9-10-11-12-13-14-15-16-17-18-19-21-22 mm.
- Supplied in socket set case - also converts into a modular storage system for use in roller cabinets.

	☑	Qty	Dimensions mm	Weight kg	📦	EAN
E031804	3/8"	15	L.275xP.186xH.80 mm	1,5	1	3258950318042



3/8" SOCKET AND ACCESSORY SET - 50 PIECES

- Douilles 3/8" 12 pans : 8-9-10-11-12-13-14-15-16-17-18-19-21-22 mm.
- Douilles longues 3/8" 6 pans : 8-10-11-12-13-14-15-16-17-18-19-21-22 mm.
- Douilles tournevis 6 pans 3/8" : 5-6-8-10-12 mm.
- Douilles tournevis fente 3/8" : 5,5-7-8 mm.
- Douilles tournevis Torx® 3/8" : T25-T27-T30-T40-T45-T50.
- Douilles tournevis Pozidriv® 3/8" : PZ1-PZ2-PZ3.
- Douilles tournevis Phillips® 3/8" : PH1-PH2-PH3.
- 1 rallonge 3/8" : 125 mm.
- 1 cardan 3/8".
- 1 cliquet parcmètre à verrouillage 3/8".
- Plateau vide : E031822.

		Qty	Weight kg		EAN
E031821	3/8"	50	2,8	1	3258950318219



3/8" METRIC SOCKET AND ACCESSORY MODULE - 20 PIECES

- 3/8" 12-point sockets: 7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22 mm.
- 1 3/8" parking meter locking ratchet.
- 2 3/8" extensions: 125-250 mm.
- 1 3/8" dial.
- Empty tray: E031802.

		Qty	Weight kg		EAN
E194678	3/8"	20	1,5	1	3258951946787



3/8" 6-POINT INCH SOCKET SET - 13 PIECES

- 3/8" hex sockets: 1/4"-5/16"-11/32"-3/8"-7/16"-1/2"-9/16"-5/8"-11/16"-3/4"-13/16"-7/8"-1".
- Supplied on metal rack.

		Qty	Weight g		EAN
E031803	3/8"	13	850	1	3258950318035




RATCHETS AND SOCKETS

3/8" RATCHETS

3/8" ROUND HEAD RATCHET

- ISO 3315 - DIN 3122 - ISO 1174-1
- 72 tooth mechanism.
- 5° increment.
- Compact head.
- High Chrome finish.
- Ergonomic bimaterial handle.


	d1 mm	d2 mm	L mm	Weight g		EAN
E031701	34.5	31.6	199	250	10	3258950317014



3/8" PEAR HEAD RATCHET

- ISO 3315 - DIN 3122 - ISO 1174-1
- 72 tooth mechanism.
- 5° increment.
- Socket safety lock.
- Lever reverse: rotation direction displayed.
- High Chrome finish.
- Ergonomic bimaterial handle.


	d1 mm	d2 mm	L mm	Weight g		EAN
E113848	32	30.8	199	285	1	3258951138489



3/8" METAL HANDLE PEAR HEAD RATCHET

- ISO 3315 - DIN 3122 - ISO 1174-1
- 72 tooth mechanism.
- 5° increment.
- Socket safety lock.
- Lever reversing: rotation direction displayed.
- High Chrome finish.


	d1 mm	d2 mm	L mm	Weight g		EAN
E031612	32	30.8	199	322	1	3258950316123



3/8" HINGED RATCHET HANDLE

- ISO 3315 - DIN 3122 - ISO 1174-1
- 72 tooth mechanism.
- 5° increment.
- Angled handle for easy access.
- Long handle for stronger untightening.
- Socket safety lock.
- Reversing lever: rotation direction indication.
- High Chrome finish.
- Ergonomic bimaterial handle.


	d1 mm	d2 mm	L mm	Weight g		EAN
E031702	30	31	275	390	1	3258950317021



3/8" HINGED HEAD RATCHET

- ISO 3315 - DIN 3122 - ISO 1174-1
- 72 tooth mechanism.
- 5° increment.
- Compact & angled head for better access.
- High Chrome finish.
- Ergonomic bimaterial handle.

	d1 mm	d2 mm	L mm	Weight g		EAN
E031703	43.6	31.5	234,2	380	1	3258950317038



3/8" ACCESSORIES

3/8" SPEED BRACE

- ISO 3315 - DIN 3122 - ISO 1174-1
- Fast rotation.
- Rotating handle.
- High Chrome finish.

	L mm	Weight g		EAN
E031604	410	395	1	3258950316048




RATCHETS AND SOCKETS

3/8" ACCESSORIES

3/8" HINGED BREAKER BAR

- ISO 3315 - DIN 3122 - ISO 1174-1
- Progressive joint.
- Hinged handle for easier access.
- Smooth chrome finish.
- Ergonomic bi-material grip.


	L mm	Weight g		EAN
E031603	375	365	1	3258950316031
E031602	200	211	1	3258950316024



3/8" SLIDING T-HANDLE

- ISO 3315 - DIN 3122 - ISO 1174-1
- Sliding head.
- Chrome vanadium steel.
- High Chrome finish.
- For manual use.

	L mm	Weight g		EAN
E117361	170	128	1	3258951173619



3/8" EXTENSIONS

- ISO 3315 - DIN 3122 - ISO 1174-1
- Chrome vanadium steel.
- High Chrome finish.
- For manual use.

	d1 mm	d2 mm	L mm	Weight g		EAN
E113850	17	12.3	125	120	10	3258951138502
E117363	17	12.3	75	75	10	3258951173633
E117364	17	12.3	250	230	10	3258951173640





3/8" ACCESSORIES

3/8" WOBBLE EXTENSION - 200 MM

- Ideal for tightening and loosening in cluttered spaces.
- Flexible body.
- Manual use (no power tools).


	d1 mm	d2 mm	L mm	Weight g		EAN
E031614	16,2	12,8	200	112	1	3258950316147



3/8" SOCKET WITH 1/4" BIT HOLDER

- ISO 1173 - DIN 3126 - ISO 1174-1
- Chrome vanadium steel.
- High Chrome finish.
- For manual use.


	d1 mm	L mm	Weight g		EAN
E113851	17	25,40	24	1	3258951138519



3/8" TO 1/4" COUPLER

- ISO 3316 - DIN 3123 - ISO 1174-1
- High Chrome finish.
- Chrome vanadium steel.
- For manual use.


	d1 mm	L mm	Weight g		EAN
E117365	17	25,40	20	1	3258951173657



3/8" - 1/2" MAGNETIC COUPLER.

- Use only with hand tools.
- Magnetized.
- Supplied on metallic rack.

		d1 mm	L mm	Weight g		EAN
E041506	3/8" - 1/2"	25	20	33	1	3258950415062




RATCHETS AND SOCKETS

3/8" ACCESSORIES

3/8" TO 1/2" COUPLER

- ISO 3316 - DIN 3123 - ISO 1174-1
- Chrome vanadium steel.
- High Chrome finish.
- For manual use.


	d1 mm	L mm	Weight g		EAN
E117366	18	36	40	1	3258951173664



3/8" UNIVERSAL JOINT

- ISO 3316 - DIN 3123 - ISO 1174-1
- Chrome vanadium steel.
- High Chrome finish.
- For manual use.

	d1 mm	L mm	Weight g		EAN
E117367	14	29,50	60	10	3258951173671




3/8" SOCKETS

3/8" - 12-POINT SOCKETS - METRIC

- ISO 2725-1 - DIN 3124 - ISO 1174-1 - ISO 1711-1 - ISO 691
- Chrome vanadium steel.
- Maxi Drive Profile: tightening torque applied to the sides rather than to the angles of the nut.
- High Chrome finish.
- For manual use.

	A mm	d1 mm	d2 mm	L mm	L1 mm	Weight g		EAN
E030933	6	17,1	10,1	25,70	5	18	10	3258950309330
E113830	7	17,1	10,8	25,70	6	18	10	3258951138304
E113831	8	17,1	12	25,70	6	20	10	3258951138311
E113832	9	17,1	13,1	25,70	6,5	20	10	3258951138328
E113833	10	17,1	14,7	25,70	7	20	10	3258951138335
E113834	11	17,1	16	25,70	8	22	10	3258951138342
E113835	12	17,1	17,1	25,70	8,5	22	10	3258951138359
E113836	13	18,3	18,3	25,70	8,5	28	10	3258951138366
E113837	14	19,5	19,5	25,70	10	30	10	3258951138373
E113838	15	20,4	20,4	25,70	10	33	10	3258951138380
E113839	16	22,1	22,1	25,70	10	46	10	3258951138397
E113840	17	23,3	23,3	25,70	10	52	10	3258951138403
E113841	18	24,2	24,2	25,70	11	56	10	3258951138410
E113842	19	25,5	25,5	25,70	12	64	10	3258951138427
E113843	20	26,8	26,8	29	14	68	10	3258951138434
E113844	21	27,7	27,7	29	14	72	10	3258951138441
E113845	22	29,8	29,8	29	14	86	10	3258951138458
E113846	23	30,8	30,8	29	14	90	10	3258951138465
E113847	24	31,8	31,8	29	14	96	10	3258951138472




3/8" 6-POINT SOCKETS - METRIC

- ISO 2725-1 - DIN 3124 - ISO 1174-1 - ISO 1711-1 - ISO 691

- Chrome vanadium steel.
- OGV Profile: tightening torque applied to the sides rather than to the angles of the nut.
- High Chrome finish.
- For manual use.

	A mm	d1 mm	d2 mm	L mm	L1 mm	Weight g	☒	EAN
E030935	6	17,1	10,1	25,70	5	18	10	3258950309354
E030936	7	17,1	10,8	25,70	6	18	10	3258950309361
E030937	8	17,1	12	25,70	6	20	10	3258950309378
E030938	9	17,1	13,1	25,70	6,5	20	10	3258950309385
E030939	10	17,1	14,7	25,70	7	20	10	3258950309392
E030940	11	17,1	16	25,70	8	22	10	3258950309408
E030941	12	17,1	17,1	25,70	8,5	22	10	3258950309415
E030942	13	18,3	18,3	25,70	8,5	28	10	3258950309422
E030943	14	19,5	19,5	25,70	10	30	10	3258950309439
E030944	15	20,4	20,4	25,70	10	33	10	3258950309446
E030945	16	22,1	22,1	25,70	10	46	10	3258950309453
E030946	17	23,3	23,3	25,70	10	52	10	3258950309460
E030947	18	24,2	24,2	25,70	11	56	10	3258950309477
E030948	19	25,5	25,5	25,70	12	64	10	3258950309484
E030949	20	26,8	26,8	29	14	68	10	3258950309491
E030950	21	27,7	27,7	29	14	72	10	3258950309507
E030951	22	29,8	29,8	29	14	86	10	3258950309514
E030952	23	30,8	30,8	29	14	90	10	3258950309521
E030953	24	31,8	31,8	29	14	96	10	3258950309538




3/8" 6-POINT SOCKETS - INCH

- ASME B 107-1 - ISO 1174-1

- Chrome vanadium steel
- OGV Profile: tightening torque applied to the sides rather than to the angles of the nut.
- High Chrome finish.
- For manual use.

	A "	d1 mm	d2 mm	L mm	L1 mm	Weight g	☒	EAN
E031301	1/4"	17,1	10	25,70	3,2	24	10	3258950313016
E031302	5/16"	17,1	11,7	25,70	4,5	25	10	3258950313023
E031303	11/32"	17,1	13	25,70	5	25	10	3258950313030
E031304	3/8"	17,1	14,2	25,70	5	26	10	3258950313047
E031305	7/16"	17,1	16,3	25,70	7	27	10	3258950313054
E031306	1/2"	18,3	18,3	25,70	7	36	10	3258950313061
E031307	9/16"	19,5	19,5	25,70	9	34	10	3258950313078
E031308	5/8"	22,1	22,1	25,70	10	45	10	3258950313085
E031309	11/16"	24,2	24,2	25,70	10	56	10	3258950313092
E031310	3/4"	25,7	25,7	25,70	12	67	10	3258950313108
E031311	13/16"	27,7	27,7	29	13	74	10	3258950313115
E031312	7/8"	29,8	29,8	29	13	91	10	3258950313122
E031334	15/16"	31,8	31,8	29	13	102	1	3258950313344
E031313	1"	33,2	33,2	35	14	123	10	3258950313139




RATCHETS AND SOCKETS

3/8" SOCKETS

3/8" 6-POINT METRIC LONG REACH SOCKETS

- ISO 2725-1 - DIN 3124 - ISO 1174-1 - ISO 1711-1 - ISO 691
- Chrome vanadium steel.
- Maxi Drive Profile: tightening torque applied to the sides of the nut, not the edges.
- Smooth chrome finish.
- For manual use.


	A mm	d1 mm	d2 mm	L mm	L1 mm	Weight g	☒	EAN
E031502	7	16,5	12	45,5	12	46	10	3258950315027
E031503	8	16,5	12	45,50	12	46	10	3258950315034
E031504	9	16,5	13,1	45,50	14	47	10	3258950315041
E031505	10	16,5	14,7	45,50	15	50	10	3258950315058
E031506	11	16,5	16	45,50	17	53	10	3258950315065
E031507	12	17,1	17,1	45,50	18	53	10	3258950315072
E031508	13	18,5	18,5	45,50	18	54	10	3258950315089
E031509	14	19,5	19,5	50	18	60	10	3258950315096
E031510	15	20,4	20,4	53	20	75	10	3258950315102
E031511	16	22	22	53	20	85	10	3258950315119
E031512	17	23,3	23,3	56	20	102	10	3258950315126
E031513	18	24,2	24,2	56	20	109	10	3258950315133
E031514	19	25,5	25,5	56	20	110	10	3258950315140
E031105	20	26,8	26,8	63,50	22	117	10	3258950311050
E031501	21	27,7	27,7	63,50	22	123	10	3258950315010
E031515	22	29,8	29,8	63,50	22	150	10	3258950315157



3/8" LONG 6-POINT SOCKETS - INCH

- ASME B 107-1 - ISO 1174-1
- Chrome vanadium steel.
- OGV Profile: tightening torque applied to the sides rather than to the angles of the nut.
- High Chrome finish.
- For manual use.

	A "	d1 mm	d2 mm	L mm	L1 mm	Weight g	☒	EAN
E031525	1/4"	16,5	9,8	45,5	10	44	10	3258950315256
E031526	5/16"	16,5	11,7	45,5	12	46	10	3258950315263
E031516	3/8"	16,5	14,2	45,5	15	51	10	3258950315164
E031517	7/16"	16,5	16,5	45,5	17	53	10	3258950315171
E031518	1/2"	18,5	18,5	45,5	18	54	10	3258950315188
E031519	9/16"	19,5	19,5	50	18	60	10	3258950315195
E031520	5/8"	22	22	53	20	85	10	3258950315201
E031521	11/16"	24,2	24,2	56	20	109	10	3258950315218
E031522	3/4"	25,7	25,7	56	22	110	10	3258950315225
E031523	13/16"	27,7	27,7	63,5	22	123	10	3258950315232
E031524	7/8"	29,8	29,8	63,5	22	150	10	3258950315249
E031527	15/16"	31,8	31,8	63,5	22	152	10	3258950315270
E031528	1"	33,8	33,8	63,5	22	155	10	3258950315287




3/8" TORX® BIT SOCKETS

3/8" TORX® SOCKETS

- ISO 1174-1
- For male Torx® screws.
- Chrome vanadium steel.
- High Chrome finish.

	No.	d1 mm	d2 mm	L mm	Weight g	☒	EAN
E030928	E10	17,1	12,5	29	40	10	3258950309286
E030929	E12	17,1	14,2	29	40	10	3258950309293
E030930	E14	17,1	16	29	50	10	3258950309309
E030931	E16	18,3	17,5	29	100	10	3258950309316



3/8" SCREWDRIVER BIT SOCKETS

3/8" TORX® BIT SET+D38 - 4 PIECES

- 3/8" Torx® screwdriver bits: T40-T45-T50-T55.
- Supplied on metallic rack.


	Qty	Weight g	☒	EAN
E031807	4	150	10	3258950318073



3/8" HEX SCREWDRIVER BIT SOCKETS

- ISO 2725-1 - DIN3124 - ISO 1174-1
- Chrome vanadium steel.
- High Chrome finish.

	A mm	d1 mm	L mm	Weight g	☒	EAN
E030901	3	17,9	50	30	10	3258950309019
E030902	4	17,9	50	31	10	3258950309026
E030903	5	17,9	50	32	10	3258950309033
E030904	6	17,9	50	33	10	3258950309040
E030905	7	17,9	50	34	10	3258950309057
E030906	8	17,9	50	43	10	3258950309064
E030934	9	17,9	50	47	10	3258950309347
E030907	10	17,9	50	50	10	3258950309071
E030908	12	22	50	58	10	3258950309088




RATCHETS AND SOCKETS

3/8" SCREWDRIVER BIT SOCKETS

3/8" SLOTTED-HEAD SCREWDRIVER BIT SOCKETS

- ISO 2725-1 - DIN3124 - ISO 1174-1
- Chrome vanadium steel.
- High Chrome finish.


	A mm	d1 mm	L mm	Weight g		EAN
E030909	5,5	17,9	50	33	10	3258950309095
E030910	7	17,9	50	34	10	3258950309101
E030911	8	17,9	50	43	10	3258950309118



3/8" PHILLIPS® SCREWDRIVER BIT SOCKETS

- ISO 2725-1 - DIN3124 - ISO 1174-1
- Chrome vanadium steel.
- High Chrome finish.


	No.	d1 mm	L mm	Weight g		EAN
E030925	PH1	17,9	50	31	10	3258950309255
E030926	PH2	17,9	50	33	10	3258950309262
E030927	PH3	17,9	50	43	10	3258950309279



3/8" POZIDRIV® SCREWDRIVER BIT SOCKETS

- ISO 2725-1 - DIN3124 - ISO 1174-1
- Chrome vanadium steel.
- High Chrome finish.


	No.	d1 mm	L mm	Weight g		EAN
E030922	PZ1	17,9	50	31	10	3258950309224
E030923	PZ2	17,9	50	33	10	3258950309231
E030924	PZ3	17,9	50	43	10	3258950309248



3/8" TORX® SCREWDRIVER BIT SOCKETS

- ISO 1174-1
- Chrome vanadium steel.
- High Chrome finish.

	No.	d1 mm	L mm	Weight g		EAN
E030912	T8	17,9	50	33,5	10	3258950309125
E030913	T10	17,9	50	33,5	10	3258950309132
E030914	T15	17,9	50	33,5	10	3258950309149
E030915	T20	17,9	50	33,5	10	3258950309156
E030916	T25	17,9	50	33,5	10	3258950309163
E030917	T27	17,9	50	33,5	10	3258950309170
E030918	T30	17,9	50	33,5	10	3258950309187
E030919	T40	17,9	50	45	10	3258950309194
E030920	T45	17,9	50	45	10	3258950309201
E030921	T50	17,9	50	48	10	3258950309208
E030922	T55	17,9	50	61	10	3258950309215



1/2" SOCKET SETS

1/2" SOCKET AND ACCESSORY SET - METRIC AND INCH - 55 PIECES

- 1/2" hex sockets: 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-32-34 mm.
- 1/2" 12-point sockets: 3/8"-7/16"-1/2"-9/16"-5/8"-11/16"-3/4"-13/16"-7/8"-15/16"-1"-1 1/16"-1 1/8"-1 3/16"-1 1/4.
- 1/2" Torx® sockets: E10-E11-E12-E14-E16-E18-E20-E24.
- 1 1/2" locking meter ratchet.
- 2 1/2" extensions 130-250 mm.
- 1 1/2" sliding T-handle.
- 1 1/2" universal joint.
- 1 1/2" to 3/8" adapter.
- 1 3/8" to 1/2" adapter.
- Supplied in socket set case - also converts into a modular storage system for use in roller cabinets.

	☑	Qty	Dimensions mm	Weight kg	☒	EAN
E032909	1/2"	55	L.415xP.283xH.92 mm	6,5	1	3258950329093



1/2" SOCKET AND ACCESSORY SET - METRIC - 42 PIECES

- 1/2" hex sockets: 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-32 mm.
- 1/2" deep hex sockets: 12-13-14-15-16-17-18-19-21-22-24 mm.
- 2 1/2" extensions 130-250 mm.
- 1 1/2" sliding T-handle.
- 1 1/2" universal joint.
- 1 1/2" to 3/8" adapter.
- 1 3/8" to 1/2" adapter.
- 1 1/2" locking meter ratchet.
- Supplied in socket set case - also converts into a modular storage system for use in roller cabinets.

	☑	Qty	Dimensions mm	Weight kg	☒	EAN
E032908	1/2"	42	L.415xP.283xH.92 mm	5,5	1	3258950329086



1/2" SOCKET AND ACCESSORY SET - METRIC - 22 PIECES

- 1/2" hex sockets: 8-10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm.
- 1 1/2" locking meter ratchet.
- 1 1/2" sliding T-handle.
- 2 1/2" extensions 130-250 mm.
- 1 1/2" universal joint.
- Supplied in socket set case - also converts into a modular storage system for use in roller cabinets.

	☑	Qty	Dimensions mm	Weight kg	☒	EAN
E032900	1/2"	22	L.275xP.186xH.92 mm	4	1	3258950329000



RATCHETS AND SOCKETS

1/2" SOCKET SETS

1/2" SOCKET SET - 16 PIECES

- 1/2" hex sockets: 10-11-12-13-14-15-16-17-18-19-21-22-24-27-30-32 mm.
- Supplied on metallic rack.

	☑	Qty	Weight kg	📦	EAN
E032902	1/2"	16	1,7	1	3258950329024



1/2" SOCKET SET - METRIC - 10 PIECES

- 1/2" hex sockets: 9-10-11-12-13-14-15-17-18-19 mm.

	☑	Qty	Weight kg	📦	EAN
E034837	1/4"	10	0,715	1	3258950348377



1/2" SCREWDRIVER SOCKET SET

1/2" TORX® SOCKET AND TORX® SCREWDRIVER BIT SOCKET SET - 16 PIECES

- 1/2" Torx® screwdriver bit sockets: T20-T25-T27-T30-T40-T45-T50-T55-T60.
- 1/2" Torx® sockets: E10-E12-E14-E16-E18-E20-E24.
- Supplied in socket set case - also converts into a modular storage system for use in roller cabinets.

	☑	Qty	Dimensions mm	Weight kg	📦	EAN
E032907	1/2"	16	L.275xP.186xH.92 mm	1,65	1	3258950329079



1/2" TORX® SCREWDRIVER SOCKET SET - 32 PIECES

- 1/2" Torx® sockets: T20, T25, T27, T30, T40, T45, T50, T55, T60, T70 mm, L55 mm.
- 1/2" Torx® sockets: T20, T25, T27, T30, T40, T45, T50, T55, T60, T70 mm, L100 mm.
- 1/2" Torx® sockets: T40, T45, T50, T55, T60, T70 mm, L140 mm.
- 1/2" Torx® sockets: T40, T45, T50, T55, T60, T70 mm, L200 mm.
- Supplied in socket set case - also converts into a modular storage system for use in roller cabinets.

	☑	Qty	Dimensions mm	Weight kg	📦	EAN
E200514	1/2"	32	L.415 x P.314 x H.92 mm	5,15	1	3258952005148



1/2" HEX SCREWDRIVER SOCKET SET - 30 PIECES

- 1/2" hex sockets: 5, 6, 7, 8, 10, 12, 14, 17, 19 mm, L55 mm.
- 1/2" hex sockets: 5, 6, 7, 8, 10, 11, 12, 13 mm, L100 mm.
- 1/2" hex sockets: 5, 6, 7, 8, 10, 12, 14 mm, L140 mm.
- 1/2" hex sockets: 5, 6, 7, 8, 10, 12 mm, L200 mm.
- Supplied in socket set case - also converts into a modular storage system for use in roller cabinets.

	☑	Qty	Dimensions mm	Weight kg	☒	EAN
E200516	1/2"	30	L.415 x P.314 x H.92 mm	5	1	3258952005162



32-PIECE SET OF 1/2" GROOVE SCREWDRIVER SOCKETS

1/2" screwdriver groove sockets:

- L.55 mm: M5, M6, M7, M8, M9, M10, M12, M13, M14.
- L.100 mm: M5, M6, M7, M8, M9, M10, M12, M13, M14.
- L.140 mm: M8, M9, M10, M10,3, M12, M13, M14.
- L.200 mm: M8, M9, M10, M10,3, M12, M13, M14.

	☑	Qty	Dimensions mm	Weight kg	☒	EAN
E200522	1/2"	32	L.415 x P.314	5	1	3258952005223

NEW



1/2" XZN SCREWDRIVER SOCKET SET - 26 PIECES

- 1/2" XZN® sockets: M5, M6, M8, M9, M10, M12, M14, M16 mm, L55 mm.
- 1/2" XZN® sockets: M5, M6, M8, M9, M10, M12, M14 mm, L100 mm.
- 1/2" XZN® sockets: M5, M6, M8, M9, M10, M12, M14 mm, L140 mm.
- 1/2" XZN® sockets: M8, M10, M12, M14 mm, L200 mm.
- Supplied in socket set case also converts into a modular storage system for use in roller cabinets.

	☑	Qty	Dimensions mm	Weight kg	☒	EAN
E200515	1/2"	26	L.415 x P.314 x H.92 mm	4,4	1	3258952005155



RATCHETS AND SOCKETS

1/2" SCREWDRIVER SOCKET SET

1/2" HEX DRIVER SET - 13 PIECES

- 1/2" Hex screwdriver sockets: 4-5-6-8-9-10-12 mm.
- 1/2" Hex long screwdriver sockets: 4-5-6-8-10-12 mm.
- Supplied in socket set case - also converts into a modular storage system for use in roller cabinets.

	☑	Qty	Dimensions mm	Weight kg	☒	EAN
E032906	1/2"	13	L.275xP.186xH.92 mm	1,8	1	3258950329062



1/2" HEX SCREWDRIVER BIT SOCKET SET - 8 PIECES

- 1/2" hex screwdriver bit sockets: 6-7-8-9-10-12-14-17 mm.
- Supplied on metallic rack.

	☑	Qty	Weight g	☒	EAN
E032904	1/2"	8	750	1	3258950329048



1/2" 6-POINT LONG-REACH DRIVER SOCKETS SET - 6 PIECES

- 6-point 1/2" long-reach screwdriver sockets: 5-6-7-8-10-12 mm, L.90mm.
- Supplied on metallic rack.

	☑	Qty	Weight g	☒	EAN
E032941	1/2"	6	900	1	3258950329413



SET OF 1/2" TORX DRIVER SOCKETS - 9 PIECES

- 1/2" 6-point Torx® screwdriver sockets: T20- T25- T27- T30- T40- T45- T50- T55- T60, L.55mm.
- Supplied on metallic rack.


	☑	Qty	Weight g	☒	EAN
E032936	1/2"	9	696	1	3258950329369



1/2" SCREWDRIVER AND TORX® BITS SOCKET MODULE - 33 PIECES

- 1/2" hex screwdriver bit sockets: 5-6-7-8-9-10-12-14-17 mm.
- 1/2" hex screwdriver long reach bit sockets: 4-5-6-8-10-12 mm.
- 1/2" Torx® screwdriver bit sockets: T20-T25-T27-T30-T40-T45-T50-T55-T60.
- 1/2" Torx® sockets: E10-E11-E12-E14-E16-E18-E20-E22-E24.
- Empty module: E032923.

		Qty	Weight g		EAN
E032922	1/2"	33	2725	1	3258950329222



1/2" SOCKETS AND ACCESSORY MODULE - 21 PIECES

- 1/2" hex sockets: 8-10-11-12-13-14-15-16-17-18-19-21-22-23-24-27-30-32 mm.
- 1 1/2" parking meter locking ratchet.
- 1 1/2" extension: 250 mm.
- 1 1/2" dial.
- Empty tray: E032901.

		Qty	Weight g		EAN
E194677	1/2"	21	3,5	1	3258951946770



1/2" DEEP SOCKETS MODULE - 10 PIECES

- 1/2" 6-point deep hex sockets: 10 mm.
- 1/2" 12-point deep hex sockets: 12-13-14-17-19-21-22-23-24 mm.
- Empty module: E010515.

		Qty	Weight g		EAN
E032201	1/2"	10	1968	1	3258950322018



1/2" DRIVE ACCESSORY MODULE - 8 PIECES

- 3 1/2" extensions 75-130-250 mm.
- 1 1/2" hinged head ratchet.
- 1 1/2" sliding T-handle.
- 1 1/2" to 5/16" bit adaptor.
- 1 1/2" - 3/8" adapter.
- 1 1/2" - 3/4" adapter.
- Empty module: E032925.

		Qty	Weight g		EAN
E032924	1/2"	8	2150	1	3258950328010




RATCHETS AND SOCKETS

1/2" RATCHETS

1/2" ROUND HEAD RATCHET

- ISO 3315 - DIN 3122 - ISO 1174-1
- 72 tooth mechanism.
- 5° increment.
- Compact head.
- High Chrome finish.
- Ergonomic bimaterial handle.


	d1 mm	d2 mm	L mm	Weight g		EAN
E032801	42.4	42	250	490	1	3258950328010



1/2" PEAR HEAD RATCHET

- ISO 3315 - DIN 3122 - ISO 1174-1
- 72 tooth mechanism.
- 5° increment.
- Socket safety lock.
- Lever reverse: rotation direction displayed.
- High Chrome finish.
- Ergonomic bimaterial handle.


	d1 mm	d2 mm	L mm	Weight g		EAN
E113708	39.2	39	250	550	1	3258951137086



1/2" METAL HANDLE PEAR HEAD RATCHET

- ISO 3315 - DIN 3122 - ISO 1174-1
- 72 tooth mechanism.
- 5° increment.
- Socket safety locking.
- Lever reversing: rotation direction visualisation.
- High chrome finish.

	d1 mm	d2 mm	L mm	Weight g		EAN
E032709	39.2	39	250	588	1	3258950327099




1/2" HINGED RATCHET HANDLE

- ISO 3315 - DIN 3122 - ISO 1174-1

- 72 tooth mechanism.
- 5° increment.
- Angled handle for better access.
- Long handle for stronger untightening.
- Socket safety lock.
- Reversing lever: rotation direction indication.
- High Chrome finish.
- Ergonomic bimaterial handle.

	d1 mm	d2 mm	L mm	Weight g		EAN
E032803	40	40	437	930	1	3258950328034




1/2" HINGED HEAD RATCHET

- ISO 3315 - DIN 3122 - ISO 1174-1

- 72 tooth mechanism.
- 5° increment.
- Compact head.
- High Chrome finish.
- Ergonomic bimaterial handle.

	d1 mm	d2 mm	L mm	Weight g		EAN
E032802	49.1	39.2	306	640	1	3258950328027



1/2" HINGED BREAKER BAR

- ISO 3315 - DIN 3122 - ISO 1174-1

- Smooth-action joint.
- Hinged handle for easier access.
- High Chrome finish.
- Ergonomic bimaterial grip.

	L mm	Weight g		EAN
*E032701	300	560	1	3258950327013
E032804	450	860	1	3258950328041
E032805	600	1120	1	3258950328058

NEW*

RATCHETS AND SOCKETS

1/2" ACCESSORIES

1/2" SPEED BRACE

- ISO 3315 - DIN 3122 - ISO 1174-1

- Fast rotation.
- Rotating handle.
- High Chrome finish.

	L mm	Weight g		EAN
E032702	425	510	1	3258950327020



1/2" DRIVE ANGLE BAR

- ISO 1174 - DIN 3122

- Matt chrome finish.

	L mm	Weight g		EAN
E032713	200	280	1	3258950327136

NEW



1/2" ANGLE GRIP WITH BAR

- ISO 1174 - DIN 3122

- Ergonomic bi-material handle.
- Matt chrome finish.

	L mm	Weight g		EAN
E032714	400	691	1	3258950327143

NEW




1/2" SLIDING T-HANDLE

- ISO 3315 - DIN 3122 - ISO 1174-1

- Sliding head.
- Chrome vanadium steel.
- For manual use.
- High chrome finish.

	L mm	Weight g		EAN
E117259	240	316	1	3258951172599



1/2" EXTENSIONS

- ISO 3315 - DIN 3122 - ISO 1174-1

- Chrome vanadium steel.
- High Chrome finish.
- For manual use.

	d1 mm	d2 mm	L mm	Weight g		EAN
E113710	22.5	12.7	75	125	1	3258951137109
E117260	22.5	12.7	130	220	1	3258951172605
E117261	22.5	12.7	250	405	1	3258951172612




1/2" FLEXIBLE EXTENSION 200MM

Ideal for tightening/loosing in tight spaces

- Flexible body
- For hand use only (not for power tools)
- High chrome finish

	Weight g		EAN
E032711	212	1	3258950327112



RATCHETS AND SOCKETS

1/2" ACCESSORIES

1/2" TO 5/16" COUPLER


- ISO 1173 - DIN 3126 - ISO 1174-1

- For manual use.

- High Chrome finish.

- Chrome vanadium steel.

	d1 mm	d2 mm	L mm	Weight g		EAN
E113711	25	12.7	40	90	5	3258951137116



1/2" TO 3/8" COUPLER


- ISO 3316 - DIN 3123 - ISO 1174-1

- Chrome vanadium steel.

- High Chrome finish.

- For manual use.

	d1 mm	d2 mm	L mm	Weight g		EAN
E117262	22	12.7	34,5	46	1	3258951172629



1/2" TO 3/4" COUPLER


- ISO 3316 - DIN 3123 - ISO 1174-1

- Chrome vanadium steel.

- High Chrome finish.

- For manual use.

	d1 mm	d2 mm	L mm	Weight g		EAN
E117263	25.2	12.7	42	75	5	3258951172636



1/2" - 3/4" MAGNETIC COUPLER.

- Use only with hand tools.

- Magnetized.

- Supplied on metallic rack.

		L mm	Weight g		EAN
E041507	1/2" - 3/4"	25,5	74	1	3258950415079

NEW



1/2" UNIVERSAL JOINT


- ISO 3316 - DIN 3123 - ISO 1174-1

- Chrome vanadium steel.

- High Chrome finish.

- For manual use.

	d1 mm	d2 mm	L mm	Weight g		EAN
E117264	24.9	12.7	40,5	140	1	3258951172643



1/2" SOCKETS

1/2" METRIC HEX SOCKETS

- ISO 2725-1 - DIN 3124 - ISO 1174-1 - ISO 1711-1 - ISO 691


- Chrome vanadium steel.

- Maxi Drive Profile: tightening torque applied to the sides rather than to the angles of the nut.

- High Chrome finish.

- For manual use.

	A mm	d1 mm	d2 mm	L mm	L1 mm	Weight g		EAN
E117086	8	21.8	12.4	38	9	45	1	3258951170861
E117087	9	21.8	14	38	10	45	1	3258951170878
E117088	10	21.8	15.5	38	10	48	1	3258951170885
E117089	11	21.8	16.7	38	11	50	1	3258951170892
E117090	12	21.8	18	38	10	50	1	3258951170908
E117091	13	21.8	19.2	38	10	52	1	3258951170915
E117092	14	21.8	20.5	38	10	54	1	3258951170922
E117093	15	21.8	21	38	14	54	1	3258951170939
E117094	16	23.3	22.5	38	14	66	1	3258951170946
E117095	17	24	24	38	14	76	1	3258951170953
E117096	18	24.8	24.8	38	14	84	1	3258951170960
E117097	19	26.3	26.3	38	16.7	84	1	3258951170977
E117098	20	26.8	26.8	38	17.3	84	1	3258951170984
E117099	21	27.7	27.7	38	18	92	1	3258951170991
E117250	22	29.8	29.8	40	18	118	1	3258951172506
E117251	23	30.8	30.8	40	18	125	1	3258951172513
E117252	24	31.8	31.8	40	18	134	1	3258951172520
E031937	25	32.8	32.8	41	20	142	1	3258950319377
E117253	26	33.8	33.8	41	20	160	1	3258951172537
E117254	27	35.8	35.8	41	20	192	1	3258951172544
E117255	28	37.6	37.6	41	20	220	1	3258951172551
E117256	29	37.8	37.8	41	20	210	1	3258951172568
E117257	30	39.8	39.8	41	20	234	1	3258951172575
E117258	32	41.8	41.8	41	20	266	1	3258951172582
E031936	34	43.8	43.8	45,50	25	300	1	3258950319360
E031938	36	49.8	49.8	57,20	27	462	1	3258950319384



RATCHETS AND SOCKETS


1/2" SOCKETS

1/2" 12-POINT SOCKETS - METRIC

- ISO 2725-1 - DIN 3124 - ISO 1174-1 - ISO 1711-1 - ISO 691

- Chrome vanadium steel.
- OGV® profile: tightening torque applied to the sides rather than to the angles of the nut.
- High Chrome finish.
- For manual use.

	A mm	d1 mm	d2 mm	L mm	L1 mm	Weight g	☒	EAN
E117051	8	21.8	12.4	38	9	45	1	3258951170519
E117052	9	21.8	14	38	10	45	1	3258951170526
E117053	10	21.8	15.5	38	10	18	1	3258951170533
E117054	11	21.8	16.7	38	10	50	1	3258951170540
E117055	12	21.8	18	38	10	50	1	3258951170557
E117056	13	21.8	19.2	38	10	52	1	3258951170564
E117057	14	21.8	20.5	38	10	54	1	3258951170571
E117058	15	21.8	21	38	14	54	1	3258951170588
E117059	16	23.3	22.5	38	14	66	1	3258951170595
E117060	17	24	24	38	14	76	1	3258951170601
E117061	18	24.8	24.8	38	14	84	1	3258951170618
E117062	19	26.3	26.3	38	16.7	84	1	3258951170625
E117063	20	26.8	26.8	38	17.3	84	1	3258951170632
E117064	21	27.7	27.7	38	18	92	1	3258951170649
E117065	22	29.8	29.8	40	18	118	1	3258951170656
E117066	23	30.8	30.8	40	18	125	1	3258951170663
E117067	24	31.8	31.8	40	18	134	1	3258951170670
E117068	26	33.8	33.8	41	20	160	1	3258951170687
E117069	27	35.8	35.8	41	20	192	1	3258951170694
E117070	28	37.6	37.6	41	20	210	1	3258951170700
E117071	29	37.8	37.8	41	20	210	1	3258951170717
E117072	30	39.8	39.8	41	20	234	1	3258951170724
E117073	32	41.8	41.8	41	20	266	1	3258951170731
E032001	36	49.8	49.8	57.20	27	462	1	3258950320014




1/2" 12-POINT SOCKETS - INCH

- ASME B 107-1 - ISO 1174-1

- Chrome vanadium steel.
- OGV® profile: tightening torque applied to the sides rather than to the angles of the nut.
- High Chrome finish.
- For manual use.


	A"	d1 mm	d2 mm	L mm	L1 mm	Weight g	☒	EAN
E113701	3/8"	21.8	14.7	38	9	45	1	3258951137017
E113702	7/16"	21.8	17	38	9	45	1	3258951137024
E113703	1/2"	21.8	19	38	10	48	1	3258951137031
E117074	9/16"	21.8	20.8	38	12.5	55	1	3258951170748
E117075	19/32"	21.8	20.8	38	14.3	55	1	3258951170755
E117076	5/8"	23.3	22.5	38	14.3	68	1	3258951170762
E113704	21/32"	23.3	23.3	38	14.3	68	1	3258951137048
E117077	11/16"	24.2	24.2	38	14.3	74	1	3258951170779
E117078	3/4"	26.3	26.3	38	18	87	1	3258951170786
E113705	25/32"	26.8	26.8	38	18	86	1	3258951137055
E117079	13/16"	27.7	27.7	38	18	92	1	3258951170793
E117080	7/8"	29.8	29.8	38	18	117	1	3258951170809
E117081	15/16"	31.8	31.8	38	18	136	1	3258951170816
E113706	31/32"	32.8	32.8	38	18	140	1	3258951137062
E117082	1"	33.8	33.8	41	18	148	1	3258951170823
E117083	1*1/16	35.8	35.8	41	20	190	1	3258951170830
E117084	1*1/8	37	37	41	20	228	1	3258951170847
E113707	1*3/16	39.8	39.8	41	20	230	1	3258951137079
E117085	1*1/4	41.8	41.8	41	20	268	1	3258951170854



1/2" 6-POINT LONG SOCKETS - METRIC

- Chrome vanadium steel.
- OGV® profile: tightening torque applied to the sides rather than to the angles of the nut.
- High Chrome finish.
- For manual use.


	A mm	d1 mm	d2 mm	L mm	L1 mm	Weight g	☒	EAN
E032103	10	22	15.5	79	17	98	1	3258950321035
E117265	12	22	18	79	19	105	1	3258951172650
E117266	13	22	19.2	79	21	115	1	3258951172667
E117267	14	22	20.5	79	25	120	1	3258951172674
E117268	15	22	21	79	28	125	1	3258951172681
E117269	16	23.3	22.5	79	31	128	1	3258951172698
E117270	17	24	24	79	34	140	1	3258951172704
E117271	18	25.3	25.3	79	34	160	1	3258951172711
E117272	19	26.5	26.5	79	36	160	1	3258951172728
E117273	21	27.8	27.8	79	36	200	1	3258951172735
E117274	22	29.8	29.8	79	36	215	1	3258951172742
E117275	24	31.8	31.8	79	36	255	1	3258951172759
E117276	27	35.8	35.8	79	36	310	1	3258951172766
E117277	30	39.8	39.8	79	36	355	1	3258951172773



1/2" 12-POINT LONG SOCKETS - METRIC

- ISO 2725-1 - DIN 3124 - ISO 1174-1 - ISO 1711-1 - ISO 691
- Chrome vanadium steel.
- OGV® profile: tightening torque applied to the sides rather than to the angles of the nut.
- High Chrome finish.
- For manual use.

	A mm	d1 mm	d2 mm	L mm	L1 mm	Weight g	☒	EAN
E032203	10	22	15.5	79	17	98	1	3258950322032
E117278	12	22	18	79	19	105	1	3258951172780
E117279	13	22	19.2	79	21	115	1	3258951172797
E117280	14	22	20.5	79	25	120	1	3258951172803
E117281	15	22	21	79	28	125	1	3258951172810
E117282	16	23.3	22.5	79	31	128	1	3258951172827
E117283	17	24	24	79	34	140	1	3258951172834
E117284	18	25.3	25.3	79	34	160	1	3258951172841
E117285	19	26.5	26.5	79	36	160	1	3258951172858
E117286	21	27.8	27.8	79	36	200	1	3258951172865
E117287	22	29.8	29.8	79	36	215	1	3258951172872
E117288	23	30.8	30.8	79	36	232	1	3258951172889
E117289	24	31.8	31.8	79	36	255	1	3258951172896
E117290	27	35.8	35.8	79	36	310	1	3258951172902
E117291	30	39.8	39.8	79	36	355	1	3258951172919
E117292	32	41.3	41.3	79	36	408	1	3258951172926



RATCHETS AND SOCKETS


1/2" SOCKETS

1/2" 12-POINT LONG SOCKETS - INCH

- ASME B 107-1 - ISO 1174-1

- Chrome vanadium steel.
- OGV® profile: tightening torque applied to the sides rather than to the angles of the nut.
- High Chrome finish.
- For manual use.

	A"	d1 mm	d2 mm	L mm	L1 mm	Weight g	☒	EAN
E113713	1/2"	22	19	79	20	116	1	3258951137130
E113714	9/16"	22	20.8	79	22	118	1	3258951137147
E113715	5/8"	23.3	22.5	79	24	126	1	3258951137154
E113716	11/16"	24	24	79	26	146	1	3258951137161
E113717	3/4"	26	26	79	29	180	1	3258951137178
E113718	13/16"	27	27	79	31	240	1	3258951137185
E113719	1/8"	29	29	79	31	250	1	3258951137192
E113720	15/16"	31	31	79	33	265	1	3258951137208
E113721	1"	33	33	79	33	290	1	3258951137215
E113722	1*1/16	35	35	79	33	315	1	3258951137222
E113723	1*1/8	37	37	79	33	350	1	3258951137239
E113724	1*1/4	41	41	79	33	360	1	3258951137246




1/2" TORX® BIT SOCKETS

1/2" TORX® SOCKETS

- ISO 1174-1

- For male Torx® screws.
- Chrome vanadium steel.
- High Chrome finish.

	No.	d1 mm	d2 mm	L mm	L1 mm	Weight g	☒	EAN
E031984	E8	21.8	11	38	12.7	49	1	3258950319841
E031927	E10	21.8	13.3	38	10	41	1	3258950319278
E031935	E11	21.8	14	38	11	41	1	3258950319353
E031928	E12	21.8	15	38	12	47	1	3258950319285
E031929	E14	21.8	17	38	12	47	1	3258950319292
E031930	E16	21.8	18.5	38	12	57	1	3258950319308
E031931	E18	21.8	20	38	12	57	1	3258950319315
E031932	E20	23.3	23.3	38	13	63	1	3258950319322
E031933	E22	24.8	24.8	38	15	80	1	3258950319339
E031934	E24	26.8	26.8	38	16	97	1	3258950319346



1/2" SCREWDRIVER BIT SOCKETS

1/2" HEX SCREWDRIVER BIT SOCKETS

- ISO 2725-1 - DIN3124 - ISO 1174-1
- Chrome vanadium steel.
- High Chrome finish.


	A mm	d1 mm	L mm	Weight g	☒	EAN
E031901	4	22	55	59	1	3258950319018
E031902	5	22	55	60	1	3258950319025
E031903	6	22	55	62	1	3258950319032
E031904	7	22	55	64	1	3258950319049
E031905	8	22	55	65	1	3258950319056
E031906	9	22	55	72	1	3258950319063
E031907	10	22	55	80	1	3258950319070
E031908	12	22	55	102	1	3258950319087
E031909	14	22	55	127	1	3258950319094
E031910	17	22	55	152	1	3258950319100
E031911	19	22	55	201	1	3258950319117



1/2" SCREWDRIVER LONG REACH BIT FOR HEX COUNTERSUNK HEAD SCREWS

- ISO 2725-1 - DIN3124 - ISO 1174-1
- Chrome vanadium steel.
- Smooth chrome finish.


	A mm	d1 mm	L mm	Weight g	☒	EAN
E031912	4	22	100	69	1	3258950319124
E031913	5	22	100	71	1	3258950319131
E031914	6	22	100	77	1	3258950319148
E031982	7	22	100	75	1	3258950319827
E031915	8	22	100	79	1	3258950319155
E031916	10	22	100	132	1	3258950319162
E031917	12	22	100	144	1	3258950319179
E031983	14	22	100	153	1	3258950319834



1/2" TORX® SCREWDRIVER BIT SOCKETS

- ISO 1174-1
- Chrome vanadium steel.
- High Chrome finish.

	No.	d1 mm	L mm	Weight g	☒	EAN
E031918	T20	22	55	58	1	3258950319186
E031919	T25	22	55	58	1	3258950319193
E031920	T27	22	55	59	1	3258950319209
E031921	T30	22	55	59	1	3258950319216
E031922	T40	22	55	62	1	3258950319223
E031923	T45	22	55	63	1	3258950319230
E031924	T50	22	55	74	1	3258950319247
E031925	T55	22	55	96	1	3258950319254
E031926	T60	22	55	117	1	3258950319261




RATCHETS AND SOCKETS

1/2" SCREWDRIVER BIT SOCKETS

1/2" DRIVE LONG-REACH TORX® BIT SOCKETS

- ISO 1174 - ISO3120.
- Chrome vanadium steel.
- High Chrome Finish.


	A mm	d1 mm	L mm	Weight g		EAN
E031978	T40	22	120	93	1	3258950319780
E031980	T45	22	120	94	1	3258950319797
E031981	T50	22	120	102	1	3258950319803
E031979	T55	22	120	127	1	3258950319810



1/2" SCREWDRIVER SOCKETS FOR XZN® SCREWS

- ISO 1174 - ISO3120.
- Chrome vanadium steel.
- High Chrome Finish.


	A mm	d1 mm	L mm	Weight g		EAN
E031967	M5	22	55	52	1	3258950319674
E031968	M6	22	55	56	1	3258950319681
E031969	M8	22	55	59	1	3258950319698
E031970	M10	22	55	70	1	3258950319704
E031971	M12	22	55	77	1	3258950319711
E031972	M14	22	55	91	1	3258950319728
E031973	M16	22	55	98	1	3258950319735



1/2" DRIVE LONG-REACH XZN® BIT SOCKETS

- ISO 1174 - ISO3120.
- Chrome vanadium steel.
- High Chrome Finish.

	A mm	d1 mm	L mm	Weight g		EAN
E031974	M8	24	120	126	1	3258950319742
E031975	M10	24	120	128	1	3258950319759
E031976	M12	24	120	159	1	3258950319766
E031977	M14	24	120	191	1	3258950319773



3/4" SOCKET SETS

3/4" SOCKET SET - 14 PIECES

- 3/4" hex sockets: 22-24-27-30-32-34-36-41-46-50 mm.
- 1 3/4" sliding T-handle.
- 1 3/4" ratchet.
- 2 3/4" extensions 200-400 mm.
- Supplied in a metal box.



	☑	Qty	Dimensions mm	Weight kg	☒	EAN
E194682	3/4"	14	L.539xP.133xH.80 mm	14	1	3258951946824



3/4" 6-POINT SOCKETS - METRIC - 18 PIECES

- 3/4" hex sockets: 19-21-22-24-27-30-32-34-36-41-46-50-55 mm.
- 2 3/4" extensions 200-400 mm.
- 1 3/4" sliding T-handle.
- 1 3/4" ratchet.
- 1 3/4" universal joint.
- Supplied in a metal box.




	☑	Qty	Dimensions mm	Weight kg	☒	EAN
E194683	3/4"	18	L.539xP.133xH.80 mm	15,5	1	3258951946831




3/4" RATCHETS

3/4" RATCHET WITH HANDLE

- ISO 3315 - DIN 3122 - ISO 1174-1
- Safety lock for all sockets and accessories.
- 24 tooth mechanism.
- 15° increment.
- Chrome vanadium steel.
- Matt Chrome finish.
- Delivered with locking handle on the ratchet head.



	d1 mm	d2 mm	L mm	Weight kg	☒	EAN
E113819	63.4	59	568	2,37	1	3258951138199




RATCHETS AND SOCKETS

3/4" RATCHETS

3/4" RATCHET

- ISO 3315 - DIN 3122 - ISO 1174-1
- With a safety lock with sockets and accessories.
- 24 tooth mechanism.
- 15° increment.
- Matt Chrome finish.
- Chrome vanadium steel.
- Supplied without handle.



	d1 mm	d2 mm	L mm	Weight kg		EAN
E113817	63.4	59	155	1,24	1	3258951138175



HANDLE FOR 3/4" RATCHET

- ISO 3315 - DIN 3122 - ISO 1174-1
- Matt Chrome finish.
- For manual use.
- Chrome vanadium steel.

	d1 mm	L mm	Weight kg		EAN
E113816	20	455	1,13	1	3258951138168





3/4" ACCESSORIES

3/4" SLIDING T-HANDLE

- ISO 3315 - DIN 3122 - ISO 1174-1
- Hight torque resistance.
- Safety lock.
- Chrome vanadium steel.
- Matt Chrome finish.
- For manual use.

	L mm	Weight kg		EAN
E113815	455	1,30	1	3258951138151



3/4" HINGED HANDLE

- ISO 3315 - DIN 3122 - ISO 1174-1

- High torque resistance.
- Chrome vanadium steel.
- Matt Chrome finish.
- For manual use.

	L mm	Weight kg		EAN
E033804	1250	3,70	1	3258950338040





3/4" EXTENSIONS

- ISO 3316 - DIN 3123 - ISO 1174-1

- Matt Chrome finish.
- Chrome vanadium steel.
- For manual use.

	d1 mm	d2 mm	L mm	Weight g		EAN
E113820	35.5	25	100	410	1	3258951138205
E113823	35.5	25	400	1130	1	3258951138236
E113824	35.5	25	200	620	1	3258951138243




3/4" TO 1/2" COUPLER

- ISO 3316 - DIN 3123 - ISO 1174-1

- Safety lock.
- Chrome vanadium steel.
- For manual use.

	d1 mm	d2 mm	L mm	Weight g		EAN
E113821	34	12.58	48	166	1	3258951138212




RATCHETS AND SOCKETS

3/4" ACCESSORIES

3/4" TO 1" COUPLER

- ISO 3316 - DIN 3123 - ISO 1174-1
- Fitted with safety lock.
- Chrome vanadium steel.
- Matt Chrome finish.
- For manual use.


	d1 mm	d2 mm	L mm	Weight g		EAN
E033802	38	33.5	62	340	1	3258950338026



3/4" UNIVERSAL JOINT

- ISO 3316 - DIN 3123 - ISO 1174-1
- Matt Chrome finish.
- Safety lock.
- Chrome vanadium steel.
- For manual use.


	d1 mm	d2 mm	L mm	Weight g		EAN
E113822	40	25	107	550	1	3258951138229



3/4" UNIVERSAL JOINT FOR BAR

- ISO 3316 - DIN 3123 - ISO 1174-1
- Chrome vanadium steel.
- Matt Chrome finish.
- Chrome Vanadium steel.
- Safety lock.
- For manual use.

	d1 mm	d2 mm	L mm	Weight g		EAN
E033801	36	25	138	550	1	3258950338019




3/4" SOCKETS

3/4" METRIC HEX SOCKETS

- ISO 2725-1 - DIN 3124 - ISO 1174-1 - ISO 1711-1 - ISO 691

- Safety lock.
- Chrome vanadium steel.
- Finish: mat Chromed.
- For manual use.

	A mm	d1 mm	d2 mm	L mm	L1 mm	Weight g	☒	EAN
E113790	19	33	27.2	50	14	207	1	3258951137901
E113791	21	33	31.2	50	16.5	208	1	3258951137918
E113792	22	36	32.2	50	16.5	221	1	3258951137925
E113793	23	36	33.2	50	16.5	244	1	3258951137932
E113794	24	36	34.2	51	16.5	237	1	3258951137949
E113795	26	36	37	52	22	231	1	3258951137956
E113796	27	36	38	52	22	232	1	3258951137963
E113797	28	36	39.5	52	22	239	1	3258951137970
E113798	29	36	40.5	52	24	245	1	3258951137987
E113799	30	36	42	54	24	282	1	3258951137994
E113800	32	36	44	56	24	301	1	3258951138007
E113801	33	36	46	56	26	330	1	3258951138014
E113802	34	36	47	56	26	322	1	3258951138021
E113803	35	38	48	58	26	344	1	3258951138038
E113804	36	38	50	58	28	347	1	3258951138045
E113805	38	38	52	60	28	478	1	3258951138052
E113806	40	40	54	62	30	493	1	3258951138069
E113807	41	40	56	64	30	504	1	3258951138076
E113808	42	40	57	64	30	552	1	3258951138083
E113809	44	40	60	66	32	587	1	3258951138090
E113810	46	42	62	66	32	641	1	3258951138106
E113811	50	42	68	70	34	725	1	3258951138113
E113812	54	45	72	72	36	880	1	3258951138120
E113813	55	45	75	75	36	875	1	3258951138137




3/4" 12-POINT SOCKETS - INCH

- ASME B 107-1 - ISO 1174-1

- Safety lock.
- Fast release button.
- Chrome vanadium steel.
- Matt Chrome finish.
- For manual use.

	A"	d1 mm	d2 mm	L mm	L1 mm	Weight g	☒	EAN
E033503	7/8"	33	31.2	50	14	210	1	3258950335032
E033504	15/16"	36.2	34.2	51	16.5	220	1	3258950335049
E033505	1"	36	37	52	16.5	220	1	3258950335056
E033506	1 1/16	36	38	52	22	220	1	3258950335063
E033507	1 1/8	36	40	52	22	250	1	3258950335070
E033508	1 3/16	36	42	54	24	260	1	3258950335087
E033509	1 1/4	36	44	56	24	270	1	3258950335094
E033510	1 5/16	36	46	56	26	300	1	3258950335100
E033511	1 3/8	38	48	58	26	340	1	3258950335117
E033512	1 7/16	38	50	58	28	350	1	3258950335124
E033513	1 1/2	38	52	60	28	390	1	3258950335131
E033514	1 5/8	40	56	64	30	480	1	3258950335148
E033515	1 7/8	42	64	68	34	660	1	3258950335155
E033516	1 3/4	40	60	66	32	560	1	3258950335162
E033517	1 13/16	42	62	66	32	620	1	3258950335179
E033518	2"	42	68	70	34	680	1	3258950335186



RATCHETS AND SOCKETS

1" SOCKET SET

1" SOCKET SET - 14 PIECES

- 1" hex sockets: 41-46-50-55-60-65-70-75-80 mm.
- 2 1" extensions 200-400 mm.
- 1 1" ratchet.
- 1 1" sliding T-handle.
- Supplied in a metal box.



	☑	Qty	Dimensions	Weight kg	📦	EAN
E034701	1"	14	L 658xP 211xH 108 mm	29	1	3258950347011





1" RATCHET

1" RATCHET

- ISO 3315 - DIN 3122 - ISO 1174-1
- Safety lock with sockets and accessories.
- Snap lock button.
- Chrome vanadium steel.
- Matt Chrome finish.
- Delivered with handle locking on ratchet head.

	d1 mm	d2 mm	L mm	Weight kg	📦	EAN
E034601	71.5	71	666	2	1	3258950346014





1" ACCESSORIES

1" SLIDING T-HANDLE

- ISO 3316 - DIN 3123 - ISO 1174-1
- Safety lock.
- Snap lock button.
- Chrome vanadium steel.
- Matt Chrome finish.



	L mm	Weight kg	📦	EAN
E034503	500	2,4	1	3258950345031



1" EXTENSIONS

- ISO 3316 - DIN 3123 - ISO 1174-1
- Safety lock.
- Fast release button.
- Matt Chrome finish.
- Chrome vanadium steel.


	d1 mm	d2 mm	L mm	Weight kg		EAN
E034501	48	33.5	200	1,1	1	3258950345017
E034502	48	33.5	400	2	1	3258950345024



1" TO 3/4" COUPLER

- ISO 3316 - DIN 3123 - ISO 1174-1
- Chrome vanadium steel.
- Matt Chrome finish.
- Safety lock.
- For manual use.

	d1 mm	d2 mm	L mm	Weight g		EAN
E033803	42	33.5	80	415	1	3258950338033



1" SOCKETS

1" METRIC HEX SOCKETS

- ISO 2725-1 - DIN 3124 - ISO 1174-1 - ISO 1711-1 ISO 691
- Safety lock.
- Fast lock button.
- Matt Chrome finish.
- Chrome vanadium steel.
- For manual use.

	A mm	d1 mm	d2 mm	L mm	Weight g		EAN
E034101	41	47	45	70	685	1	3258950341019
E034102	46	65	50	75	852	1	3258950341026
E034103	50	70	50	75	968	1	3258950341033
E034104	55	76	55	80	1262	1	3258950341040
E034105	60	82	55	84	1432	1	3258950341057
E034106	65	88	55	87	1652	1	3258950341064
E034107	70	94	60	70	1921	1	3258950341071
E034108	75	100	60	97	2261	1	3258950341088
E034109	80	105	60	103	2800	1	3258950341095

