



**SAFETY DATA SHEET**  
**Air Force EP 22 Airline Oil**

**1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

PRODUCT NAME Air Force EP 22 Airline Oil  
 PRODUCT NO. 7680  
 INTERNAL ID 10266  
 APPLICATION Airline Oil  
 SUPPLIER Morris Lubricants  
 Castle Foregate  
 Shrewsbury  
 SY1 2EL  
 T: (+44)(0)1743 232200  
 F: (+44)(0)1743 353584  
 sds@morris-lubricants.co.uk

**2 HAZARDS IDENTIFICATION**

Not regarded as a health or environmental hazard under current legislation.

**3 COMPOSITION/INFORMATION ON INGREDIENTS**

| Name  | EC No.    | CAS-No.    | Content | Classification       |
|---|-----------|------------|---------|----------------------|
| Alkyl phosphoric acid ester amine salt                            |           |            | < 1%    | Xi;R36/38. N;R51/53. |
| Highly refined mineral oil  | 265-097-6 | 64741-96-4 | 60-100% | -                    |
| Lubricating Oil (Petroleum) C15-30 hydrotreated neutral oil-based | 232-455-8 | 72623-86-0 | 10-30%  | -                    |
| Sulphurised isobutylene   | 270-943-2 |            | 1-5%    | R52/53.              |

The Full Text for all R-Phrases are Displayed in Section 16

**COMPOSITION COMMENTS**

The Data Shown is in accordance with the latest EC Directives.

**4 FIRST-AID MEASURES**

**GENERAL INFORMATION**

Get medical attention if any discomfort continues.

**INHALATION**

In case of inhalation of spray mist: Move person into fresh air and keep at rest. Get medical attention if any discomfort continues.

**INGESTION**

Get medical attention if any discomfort continues. Do not induce vomiting.

**SKIN CONTACT**

Remove contaminated clothing immediately and wash skin with soap and water.

**EYE CONTACT**

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention promptly if symptoms occur after washing.

**5 FIRE-FIGHTING MEASURES**

**EXTINGUISHING MEDIA**

Extinguish with foam, carbon dioxide, dry powder or water fog.

**SPECIAL FIRE FIGHTING PROCEDURES**

Keep run-off water out of sewers and water sources. Dike for water control.

**UNUSUAL FIRE & EXPLOSION HAZARDS**

Heat from fire could result in drums bursting

## Air Force EP 22 Airline Oil

**PROTECTIVE MEASURES IN FIRE**

Self-contained breathing apparatus.

**6 ACCIDENTAL RELEASE MEASURES**

**PERSONAL PRECAUTIONS**

For personal protection, see section 8. In case of spills, beware of slippery floors and surfaces.

**ENVIRONMENTAL PRECAUTIONS**

Contain spillage with sand or earth. Do not allow to enter drains, sewers or watercourses. The product is insoluble in water and will spread on the water surface.

**SPILL CLEAN UP METHODS**

Contain spillage with sand or earth. Use sealed containers for reclamation or disposal in licensed special waste. Avoid contact with water. Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body. In case of spillage on water prevent the spread by use of suitable barrier equipment

**7 HANDLING AND STORAGE**

**USAGE PRECAUTIONS**

Avoid spilling, skin and eye contact. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets.

**STORAGE PRECAUTIONS**

Store in tightly closed original container in a dry, cool and well-ventilated place.

**STORAGE CLASS**

Miscellaneous hazardous material storage.

**8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

| Name  | Std   | TWA - 8 hrs |                     | STEL - 15 min |                      | Notes |
|---|-------|-------------|---------------------|---------------|----------------------|-------|
| Highly refined mineral oil  | ACGIH |             | 5 mg/m <sup>3</sup> |               | 10 mg/m <sup>3</sup> |       |
| Lubricating Oil (Petroleum) C15-30 hydrotreated neutral oil-based | ACGIH |             | 5 mg/m <sup>3</sup> |               |                      |       |

ACGIH = American Conference of Governmental Industrial Hygienists.

**PROTECTIVE EQUIPMENT**



**PROCESS CONDITIONS**

Use engineering controls to reduce air contamination to permissible exposure level.

**ENGINEERING MEASURES**

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined workplace exposure limit is not exceeded.

**RESPIRATORY EQUIPMENT**

No specific recommendation made, but respiratory protection must be used if the general level exceeds the Recommended Workplace Exposure Limit.

**HAND PROTECTION**

The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

**EYE PROTECTION**

If risk of splashing, wear safety goggles or face shield.

**OTHER PROTECTION**

Use barrier creams to prevent skin contact.

**HYGIENE MEASURES**

Wash promptly with soap & water if skin becomes contaminated.

**9 PHYSICAL AND CHEMICAL PROPERTIES**

**APPEARANCE**

Coloured liquid

**COLOUR**

Reddish.

**Air Force EP 22 Airline Oil**

|                    |   |                                |                |
|--------------------|---|--------------------------------|----------------|
| ODOUR              | Characteristic Oil smell                        |                                |                |
| SOLUBILITY         | Insoluble in water Soluble in Organic solvents. |                                |                |
| BOILING POINT (°C) | >320  | MELTING POINT (°C)             | <-40           |
| RELATIVE DENSITY   | 0.880 15  | VAPOUR DENSITY (air=1)         | >1             |
| VAPOUR PRESSURE    | <0.1 kPa 20                                     | VISCOSITY                      | 22.8 cSt 40    |
| FLASH POINT (°C)   | >150 PM Closed cup.                             | AUTO IGNITION TEMPERATURE (°C) | Not determined |

**10 STABILITY AND REACTIVITY****STABILITY**

Stable under normal temperature conditions and recommended use.

**CONDITIONS TO AVOID**

Avoid heat, flames and other sources of ignition.

**MATERIALS TO AVOID**

Strong oxidising substances.

**HAZARDOUS DECOMPOSITION PRODUCTS**

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

**11 TOXICOLOGICAL INFORMATION****GENERAL INFORMATION**

This product has low toxicity. Only large volumes may have adverse impact on human health.

**INHALATION**

Unlikely to be hazardous by inhalation because of the low vapour pressure of the substance at ambient temperature.

**INGESTION**

No harmful effects expected in amounts likely to be ingested by accident.

**SKIN CONTACT**

Skin irritation is not anticipated when used normally. Repeated exposure may cause skin dryness or cracking.

**EYE CONTACT**

May cause temporary eye irritation.

**SPECIFIC EFFECTS**

Prolonged or repeated contact with used oil may cause serious skin diseases, such as dermatitis and skin cancer.

**12 ECOLOGICAL INFORMATION****MOBILITY**

The product is non-volatile. The product is insoluble in water and will spread on the water surface.

**BIOACCUMULATION**

Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

**DEGRADABILITY**

The product is not readily biodegradable.

**13 DISPOSAL CONSIDERATIONS****GENERAL INFORMATION**

Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

**DISPOSAL METHODS**

Dispose of waste and residues in accordance with local authority requirements.

**14 TRANSPORT INFORMATION****GENERAL**

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

**15 REGULATORY INFORMATION****RISK PHRASES**

NC Not classified.

## Air Force EP 22 Airline Oil

### SAFETY PHRASES

P13

Safety data sheet available for professional user on request.

### UK REGULATORY REFERENCES

Health and Safety at Work Act 1974.

### EU DIRECTIVES

Dangerous Preparations Directive 1999/45/EC. Dangerous Substance Directive 67/548/EEC.

### STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations.

### APPROVED CODE OF PRACTICE

Safety Data Sheets for Substances and Preparations.

### GUIDANCE NOTES

Workplace Exposure Limits EH40.

## 16 OTHER INFORMATION

### REVISION COMMENTS

NOTE: Lines within the margin indicate significant changes from the previous revision.

REVISION DATE

04/01/2010

REV. NO./REPL. SDS GENERATED 1

### RISK PHRASES IN FULL

NC

Not classified.

R36/38

Irritating to eyes and skin.

R51/53

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R52/53

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### DISCLAIMER

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in a process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.