

Performance you can trust

FOODLUBE® WD Spray



Food grade, water displacing, lubricating and protecting spray

Product Overview

ROCOL® FOODLUBE® WD Spray is a non-toxic, food grade, multi-purpose maintenance product that penetrates, lubricates, displaces water and protects against corrosion.

FOODLUBE® WD Spray is ideal for use as a general lubricant to lubricate and protect small components such as linkages, pivots and pins.

This non-toxic, water displacing lubricant provides effective penetration, lubrication and protection for a wide variety of applications commonly found in food, pharmaceutical and other clean environments.

FOODLUBE® WD Spray is fortified with PTFE for increased lubricity in this excellent all round penetrating and lubricating aerosol used in food, pharmaceutical and other clean environments.

Features and Benefits

- FOODLUBE® WD Spray offers an excellent wide temperature resistance of -50°C to +120°C.
- FOODLUBE® WD Spray exhibits excellent water displacing and penetration properties ensuring optimum performance even when used on damp or wet components.
- FOODLUBE® WD Spray has good load carrying capability with a long life, lubricating film which is reinforced with PTFE for increased lubricity.
- FOODLUBE® WD Spray provides good corrosion protection.
- Biologically hard formulation - resists bacterial growth.

Directions for Storage and Use

- Shake the FOODLUBE® WD Spray thoroughly before spraying.
- Hold can upright and apply from a distance of 15-30 cm (6-12 inches) covering the chain thoroughly.
- In severe cases, applying the product for a second time after several minutes may be beneficial to displace residual moisture or to free seized components.
- The storage temperature should be kept below +50°C, and the storage area should be out of direct sunlight.
- Shelf life is 2 years from date of manufacture.

Specifications

- FOODLUBE® WD Spray does not contain: mineral hydrocarbons, animal derived materials, nut oils or genetically modified ingredients.
- FDA Group 21 CFR 178.3570
- NSF H1 registered – 136265

Pack Sizes

| Pack Size | Part Code |
|-----------|-----------|
| 300 ml | 15010 |

T +44 (0) 113 232 2600
F +44 (0) 113 232 2740
E customer-service@rocol.com
www.rocol.com

ROCOL House, Swillington, Leeds LS26 8BS

Registered Company No. 559693 VAT No. 742 0531 67
Registered Office: Admiral House, St Leonard's Road, Windsor, Berkshire SL4 3BL

ROCOL A division of **ITW** Ltd



BS EN ISO 9001
Certificate No. FM 12448



BS EN ISO 14001
Certificate No. EMS 67596



OHSAS 18001
Certificate No. OHS 78173



INVESTOR IN PEOPLE



FOODLUBE[®] WD Spray

Food grade, water displacing, lubricating and protecting spray

| Property | Test Method | Result |
|---------------------------------|---------------------|-----------------------------------|
| Appearance | | Clear to cloudy liquid |
| Base Type | | Synthetic hydrocarbon fluid |
| Solvent | | Hydrocarbon |
| Propellant | | Carbon dioxide (CO ₂) |
| Additives | | PTFE |
| Odour | | Mild |
| Temperature Range Continuous | | -50°C to +120°C |
| 4-Ball Wear Scar | IP 239 – ASTM D2596 | 0.43mm (40kg for 1 hour) |

Values quoted above are typical and do not constitute a specification.

Safety Data Sheets

Safety data sheets are available for download from our website www.rocol.com or may be obtained from your usual ROCOL contact.

The information in this publication is based on our experience and reports from customers. There are many factors outside our control or knowledge which affect the use and performance of our products, for which reason it is given without responsibility.

Issue 06-10

T +44 (0) 113 232 2600
F +44 (0) 113 232 2740
E customer-service@rocol.com
www.rocol.com

ROCOL House, Swillington, Leeds LS26 8BS

Registered Company No. 559693 VAT No. 742 0531 67
Registered Office: Admiral House, St Leonard's Road, Windsor, Berkshire SL4 3BL

ROCOL A division of *ITW* Ltd



BS EN ISO 9001
Certificate No. FM 12448



BS EN ISO 14001
Certificate No. EMS 67596



OHSAS 18001
Certificate No. OHS 78173



INVESTOR IN PEOPLE