

RTD SPRAY

Page: 1

Compilation date: 08/07/2011

**Revision No: 4** 

Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: RTD SPRAY

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Lubricant for reaming, tapping and drilling

# 1.3. Details of the supplier of the safety data sheet

## Company name: ROCOL

	ROCOL House
	Swillington
	Leeds
	West Yorkshire
	LS26 8BS
	ENGLAND
Tel:	+44 (0) 113 232 2700
Fax:	+44 (0) 113 232 2740
Email:	customer-service@rocol.com

## 1.4. Emergency telephone number

Emergency tel: +44 (0) 113 232 2600

#### Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CHIP: F+: R12; N: R50/53; -: R64; -: R66

Most important adverse effects: Extremely flammable. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. May cause harm to breastfed babies. Repeated exposure may cause skin dryness or cracking.

# 2.2. Label elements

Label elements under CHIP:

Hazard symbols: Extremely flammable.

Dangerous for the environment.



Risk phrases: R12: Extremely flammable.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### **RTD SPRAY**

Page: 2

	of ignition - No smoking. Keep out of the reach of children.
	Do not spray on a naked flame or any incandescent material. Keep away from sources
	exceeding 50°C. Do not pierce or burn, even after use.
Precautionary phrases:	Pressurized container: protect from sunlight and do not expose to temperatures
	S61: Avoid release to the environment. Refer to special instructions / safety data sheets.
Safety phrases:	S38: In case of insufficient ventilation, wear suitable respiratory equipment.
	R66: Repeated exposure may cause skin dryness or cracking.
	R64: May cause harm to breastfed babies.

2.3. Other hazards

PBT: This substance is not identified as a PBT substance.

DC4. May agues have to breastfed babies

#### Section 3: Composition/information on ingredients

#### 3.2. Mixtures

#### Hazardous ingredients:

# HYDROCARBON AEROSOL PROPELLANT (<0.1% 1,3-BUTADIENE)

EINECS	CAS	CHIP Classification	CLP Classification	Percent
270-704-2	68476-85-7	F+: R12 Substance with a Community workplace exposure limit.	-	10-30%

#### C14-C17 CHLORINATED PARAFFIN - REACH registered number(s): 01-2119519269-33-XXXX

287-477-0	85535-85-9	N: R50/53; -: R64; -: R66	-	10-30%
CYCLOPENTANE				
206-016-6	287-92-3	F: R11; -: R52/53	-	10-30%

#### Section 4: First aid measures

#### 4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Do not induce vomiting. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. May cause dizziness.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness or mental confusion may occur.

# **RTD SPRAY**

#### 4.3. Indication of any immediate medical attention and special treatment needed

#### Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

**Extinguishing media:** Do not use water. Alcohol resistant foam. Carbon dioxide. Dry chemical powder. Use water spray to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Extremely flammable. Forms explosive air-vapour mixture. In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

#### Section 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Eliminate all sources of

ignition.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

# 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Do not use equipment in clean-up procedure which may produce sparks. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

#### Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Smoking is forbidden.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep away from sources of ignition. Keep away from direct sunlight. Ensure lighting and electrical equipment are not a source of ignition.
 Suitable packaging: Must only be kept in original packaging.

#### 7.3. Specific end use(s)

# **RTD SPRAY**

Page: 4

#### Section 8: Exposure controls/personal protection

## 8.1. Control parameters

#### Hazardous ingredients:

# HYDROCARBON AEROSOL PROPELLANT (<0.1% 1,3-BUTADIENE)

#### Workplace exposure limits:

# Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1000ppm 1750mg/m3	1250ppm 2180mg/m3	-	-

#### 8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area. Ensure lighting and electrical<br/>equipment are not a source of ignition.Respiratory protection:Respiratory protection not normally required.Hand protection:Protective gloves.Eye protection:Safety glasses with side-shields.Skin protection:Protective clothing.

# Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State:	Aerosol		
Colour:	Brown		
Odour:	Characteristic odour		
Evaporation rate:	Fast		
Oxidising:	Non-oxidising (by EC criteria)		
Solubility in water:	Insoluble		
Viscosity:	Non-viscous		
Boiling point/range°C:	<0	Flammability limits %: lower:	1.8
upper:	9.4	Flash point°C:	-100

9.2. Other information

Other information: Not applicable.

# Section 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

# 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

# **RTD SPRAY**

#### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

## 10.4. Conditions to avoid

Conditions to avoid: Direct sunlight. Heat. Sources of ignition.

### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong reducing agents.

#### **10.6. Hazardous decomposition products**

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

#### Section 11: Toxicological information

#### 11.1. Information on toxicological effects

Toxicity values: Not applicable.

#### Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat. May cause dizziness.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness or mental confusion may occur.

#### Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: Not applicable.

#### 12.2. Persistence and degradability

Persistence and degradability: Only slightly biodegradable.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Highly volatile. Absorbed only slowly into soil.

# 12.5. Results of PBT and vPvB assessment

PBT identification: This substance is not identified as a PBT substance.

12.6. Other adverse effects

#### Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal of packaging: Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

# RTD SPRAY

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

# **Section 14: Transport information**

14.1. UN number

UN number: UN1950

# 14.2. UN proper shipping name

Shipping name: AEROSOLS

# 14.3. Transport hazard class(es)

Transport class: 2

14.4. Packing group

14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: No

14.6. Special precautions for user

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

# Section 16: Other information

# Other information Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

	453/2010.
	Safety data sheet prepared in accordance with Commission Directive 2008/47/EC of 8
	April 2008 amending, for the purposes of adapting to technical progress, Council
	Directive 75/324/EEC relating to aerosol dispensers
Phrases used in s.2 and 3:	R11: Highly flammable.
	R12: Extremely flammable.
	R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the
	aquatic environment.
	R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the
	aquatic environment.
	R64: May cause harm to breastfed babies.
	R66: Repeated exposure may cause skin dryness or cracking.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive

RTD SPRAY

and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Page: 7